DÖRR

ACCESSORY CATALOGUE

2013

We´ve got ideas!

since 1973

40

Welcome in the World of Photography

Dear Reader,

We thank you for your interest in the DÖRR Accessory Catalogue 2013.
We wish you inspiring moments while reading – there are many novelties to discover!

In fact, also traditional photo accessories often are worth the expense since they will improve your picture results for even more enjoyment when taking pictures and videos.

Dive into our world of photography!

Index as of page

Interchangeable Lenses ... 3
Fisheye Wide Angle and Telephoto Lenses

Lens Accessories ... 5
Lens Caps and the like, Lens Hoods & Shades,
Adapters, White Balance Disc

Filters ... 9
UV, Protectors, Circular Polarizers, DHG, ND,
Effect and Graduated Color Filters

Macro Accessories ... 15
Close-Up Lenses, Macro Kits, Extension Tubes

GO Filter System ... 16

Macro Flashes & LED Ringlights ... 18

Flashes ... 20 + 27
TTL & Universal Flashes, Flash Triggers, Flash Cables,
Softboxes,Diffusors, GoFlash System Flash Brackets,
Power Pack

LED Video Lights ... 28

Video Accessories ... 30
Stabilizers, Shoulder Rigs, Hand Grips,
Gear Rings, Microphones, Sliders

Photo- & Video Umbrellas ... 33

Tripods & Accessories ... 34
Profi Tripods, Tripod Heads, Regular Tripods,
Travel Pods, Mag Mount System, Monopods,
Leki Hiking & Trekking Poles with Photo System and more

Remote Camera Shutters ... 50

LCD Protection and Magnifier Lens ... 52

Cleaning for Cameras, LCDs, Optics and Sensors ... 55
DÖRR, GreenClean, Cyberclean

Camera Straps, Carrying Belts ... 63

Around the Pictures ... 64
Cutters, Transparency Viewers, Slide Viewer, Scanner,
Slide Duplicator, Memory Card Readers and Storage Boxes

Torches, Laser Pointer ... 69

Energy ... 70
Power Banks, USB AC Adapter, Universl Battery Chargers,
NiMH Batteries

SKROSS World Adapters ... 74

DÖRR Legend to Symbol

Can be hung on display wall

Perfect for Compact Cameras

Water Repellent Nano Coating

Perfect for SLR /DSLR Cameras

Perfect for Video Cameras

DHG Digital High Grade Multi Coating

Interchangeable Lenses

Fisheye Wide Angle and Telephoto Lenses

8mm Fisheye Wide Angle Lens

Characteristics

Leave the photographic mainstream for a while! Try new perspectives. The DÖRR 8mm Fisheye Lens provides an extreme wide angle of view with a large focus range. The typical distortion can be used as a creative element. The fisheye lens is ideal for landscape and report photography and you can achieve great effects with many other objects.

- Focal length: 8mm
- Maximum aperture: F/3,5
- Mounts to: Canon EOS, Nikon
- Incorporated lens hood
- Diagonal angle of view: 167°l
- Minimum focus distance: 0,3m
- Manual focusing
- Multi Coating MC
- Optical construction: 10 elements in 7 groups
- Weight app. 430g, length app. 980mm

Mounts to	Item No	EAN13	MSRP €
Canon	361005	4000461068263	350,00
Nikon	361006	4000461068270	350,00

DANUBIA F8,0/500mm T2 Telephoto Lens with Aperture Setting

Characteristics

This inexpensive telephoto lens comes with classical mechanical lens components, no fancy extras. However, the optical performance is perfect and that is what you need to take good pictures.

- Focal length: 500mm
- Maximum aperture: F/8,0
- Multi Coating MC
- Mount: T2 – adapters available (see page 7)
- Lens system with aperture setting
- Filter mount: 67 mm
- Measurements: 315 mm x 70 mm
- Weight: 710 g

Item No	EAN13	MSRP €
222501	4000461068881	189,00



DANUBIA Telephoto Mirror Lenses

Characteristics

Mirror lenses project the incoming image onto the camera sensor, different from other optical lens constructions. That is why their design is so compact. Light dots out of the focus range are shown as circles – a great tool for creation of portrait picture composings. The aperture of mirror lenses can not be closed.

Type	Focal Length	Max. Aperture	Coating	Mount	System	Filter Size	Length	∅	Weight	Item No	EAN13	MSRP €
Telephoto 8,0/500 T2	500 mm	1:8,0	MC	T2*	Mirror Tele	72 mm	105 mm	74 mm	350 g	254002	4000461068898	165,00
Telephoto 6,3/500 T2	500 mm	1:6,3	MC	T2*	Mirror Tele	95 mm	115 mm	97 mm	596 g	254003	4000461068904	229,00
Telephoto 8,0/900 T2	900 mm	1:8,0	MC	T2*	Mirror Tele	105 mm	135 mm	110 mm	795 g	254004	4000461068911	299,00

* T2 Adpaters are available for many cameras – see page 7


8 mm


50 mm


105 mm


200 mm


500 mm


900 mm

T2 Teleconverter

Characteristics

If the focal length is still not enough, this teleconverter will double it. So you get the maximum even out of far distant objects. 500mm lens turns into a 1000mm telephoto lens, a 900mm lens turns into a 1800mm telephoto lens! The teleconverter is simple mounted between the T2 adapter and the lens. Aperture is reduced by factor 2x.

Item No	EAN13	MSRP €
326021	4000461068928	35,00

Lens Accessories

Lens and Body Caps

Professional Lens Cap

Characteristics

Protects the front lens from dust and scratches. The mechanics that hold and release the cap are inside the cap. So the cap can be opened and closed also while using a lens hood.

Lens ∅	Item No	EAN13	MSRP €
37mm	306137	4000461059995	4,90
40,5mm	306140	4000461057304	4,90
43mm	306143	4000461065842	4,90
46mm	306146	4000461056246	4,90
49mm	306149	4000461047039	4,90
52mm	306152	4000461033599	4,90
55mm	306155	4000461033605	4,90
58mm	306158	4000461033612	5,90
62mm	306162	4000461033629	5,90
67mm	306167	4000461033636	7,90
72mm	306172	4000461033643	7,90
77mm	306177	4000461033650	7,90
82mm	306182	4000461047022	9,90

Snap On Lens Cap

Characteristics

Classical lens cap with lateral mechanics.
Protects the front lens from dust and scratches.

Lens ∅	Item No	EAN13	MSRP €
37mm	309037	4000461022432	4,90
46mm	309046	4000461007477	4,90
49mm	309049	4000461000249	4,90
52mm	309052	4000461000253	4,90
55mm	309055	4000461000263	4,90
58mm	309058	4000461000270	5,90
62mm	309062	4000461000287	5,90
67mm	309067	4000461000294	6,90
72mm	309072	4000461000300	6,90
77mm	309077	4000461007484	6,90

Rear Lens Cap

Characteristics

Protects the rear lens and the lens bayonet mount from dust, humidity and scratches.
A must for transportation and storage of lenses.

Suitable for	Item No	EAN13	MSRP €
C/Y	309007	4000461016684	5,90
CAN	309002	4000461000201	5,90
CAN EF-S	309004	4000461044762	5,90
CAN-EOS	309022	4000461016707	6,90
M42	309000	4000461016677	5,90
Micro4/3 (MFT)	309026	4000461061172	5,90
MIN-AF	309017	4000461016691	6,90
NIK	309003	4000461000218	5,90
OLY	309005	4000461000225	5,90
PK	309006	4000461000232	5,90
SONY/MIN	309001	4000461000195	5,90
SONY NEX- E	309027	4000461062728	5,90

Camera Body Caps

Characteristics

Protects the sensor, mirror, focusing screen and the mount of your DSLR camera from dust, dirt, humidity and damages. A must for transportation and storage of DSLR and SLR cameras.

Lens ∅	Item No	EAN13	MSRP €
CAN	307002	4000461000133	5,90
CAN-EOS	307022	4000461016660	6,90
CON /YAS	307007	4000461000188	5,90
M42	307000	4000461000119	5,90
MIN	307001	4000461000126	5,90
NIK	307003	4000461000140	5,90
OLY	307005	4000461000164	5,90
PK	307006	4000461000171	5,90
SONY/MIN-AF	307021	4000461016653	6,90

Lens Cap Holder

Characteristics

Secures the lens cap of all lens types. Sticks on the lens cap while the elastic strap goes around the lens body.

Item No	EAN13	MSRP €
306100	4000461036682	4,99

White Balance Disc

Characteristics

Make a manual white balance metering by holding the White Balance Disc in front of the lens. Can be used with all popular DSLR cameras and lenses.

- Avoids color faults and color distortions
- Provides natural skin tones – ideal for portrait photography

Item No	EAN13	MSRP €
372955	4000461065750	29,90

Replacement Lens Hoods

Replacement lens hoods suitable for your lens provide optimum protection from stray light. The are available for many popular lenses.

Canon EW-60C

Canon EW-73B / EW 78D

Canon EW-83E

Canon EW-78E

Canon ES-62

Canon ES-71II

Canon ET-60

Canon ES-65 III

Canon ES-67B

Canon ET-65B

Canon EW-78BII

Canon EW-63II

Nikon HB-32

Nikon HB-35

Nikon HB-45

Nikon HB-37

Nikon HR-2

Sony SH108

Replaces	Item No	EAN13	MSRP €
Canon EW-60C	360400	4000461064371	11,90
Canon EW-73B	360401	4000461064388	14,90
Canon EW-83E	360402	4000461064395	17,90
Canon EW-78D	360403	4000461064401	18,90
Canon EW-78E	360404	4000461064418	18,90
Canon ES-62	360405	4000461064425	15,90
Canon ES-71II	360406	4000461064432	12,90
Canon ET-60	360407	4000461064449	14,90
Canon ES-65 III	360408	4000461064456	19,90
Canon ES-67B	360409	4000461064463	19,90

Replaces	Item No	EAN13	MSRP €
Canon ET-65B	360410	4000461064470	19,90
Canon EW-78BII	360411	4000461065606	19,90
Canon EW-63II	360412	4000461065613	17,90
Nikon HB-32	360420	4000461064487	12,90
Nikon HB-35	360421	4000461064494	19,90
Nikon HB-45	360422	4000461064500	15,90
Nikon HB-37	360423	4000461065620	19,90
Nikon HR-2	360428	4000461065637	15,90
Sony SH-108	360430	4000461064517	11,90

Universal Metal Lens Hood

DÖRR Universal Lens Hood 58mm

Characteristics

The universal lens hoods, also called sun shades, avoid lateral light incidence and reduce reflections. The metal lens hood can be combined with a snap-on lens cap, so that the lens hood can always stay mounted on the lens.

Lens ∅	Item No	EAN13	MSRP €
37 mm	360300	4000461055249	26,90
40,5 mm	360301	4000461055256	26,90
46 mm	360302	4000461055263	26,90
49 mm	360249	4000461068980	12,90
52 mm	360252	4000461045264	12,90
55 mm	360255	4000461045271	12,90
58 mm	360258	4000461045288	14,90
62 mm	360262	4000461045295	16,90
67 mm	360267	4000461045301	16,90
72 mm	360272	4000461045318	19,90
77 mm	360277	4000461045325	19,90

Rubber Lens Hood

Characteristics

Foldable rubber lens hood with metal thread.

- Avoid lateral light incidence and reduce reflections
- Inner tread allows to mount a lens cap or filter

Lens ∅	Item No	EAN13	MSRP €
37 mm	360537	4000461068027	9,90
40,5 mm	360540	4000461068034	9,90
43 mm	360543	4000461068041	9,90
46 mm	360546	4000461068058	9,90
49 mm	360549	4000461065644	9,90
52 mm	360552	4000461065651	9,90
55 mm	360555	4000461065668	9,90
58 mm	360558	4000461065675	9,90
62 mm	360562	4000461065682	11,90
67 mm	360567	4000461065699	11,90
72 mm	360572	4000461065705	11,90
77 mm	360577	4000461065712	11,90
82 mm	360582	4000461065774	13,90

Lens Accessories

Stepping Rings & Adapters

Step- Up Rings

Characteristics

They allow mounting of a filter or other lens accessories of a different mount size onto your lens. Or you can use the accessories with other lenses.

- Step-Up rings: Lens diameter is **smaller** than accessory mount.

Lens ∅	Item No	EAN13	MSRP €
25↗30 mm	361025	4000461037900	9,90
27↗30 mm	361026	4000461037917	9,90
37↗52 mm	361030	4000461040313	9,90
58↗62 mm	361035	4000461040931	12,90
58↗67 mm	361036	4000461040948	12,90
58↗72 mm	361037	4000461040955	12,90
58↗82 mm	361038	4000461040962	12,90
30↗37 mm	361040	4000461050930	9,90
34↗37 mm	361041	4000461064241	9,90
37↗43 mm	361042	4000461064258	9,90
37↗46 mm	361043	4000461064265	9,90
43↗52 mm	361044	4000461064272	9,90
46↗52 mm	361045	4000461064289	9,90
49↗52 mm	361046	4000461064296	9,90
52↗55 mm	361047	4000461064302	9,90
52↗62 mm	361048	4000461064319	12,90
52↗67 mm	361049	4000461064326	12,90
52↗77 mm	361050	4000461037955	12,90
55↗77 mm	361051	4000461037962	12,90
58↗77 mm	361052	4000461037979	12,90
62↗77 mm	361053	4000461037986	12,90
67↗77 mm	361054	4000461037993	12,90
72↗77 mm	361055	4000461038006	12,90
72↗82 mm	361056	4000461064234	12,90
49↗58 mm	361060	4000461038471	9,90
52↗58 mm	361061	4000461038457	9,90
55↗58 mm	361062	4000461038440	9,90
62↗67 mm	361063	4000461046032	12,90
62↗72 mm	361070	4000461038433	12,90
67↗72 mm	361071	4000461038426	12,90
77↗82 mm	361073	4000461048272	12,90
55↗62 mm	361080	4000461064333	12,90
55↗67 mm	361081	4000461064340	12,90

Step- Down Rings

Characteristics

They allow mounting of a filter or other lens accessories of a different mount size onto your lens. Or you can use the accessories with other lenses.

- Step-Down: Lens diameter is **larger** than accessory mount

Lens ∅	Item No	EAN13	MSRP €
30,5↘30 mm	361027	4000461037924	9,90
34↘30 mm	361028	4000461037931	9,90
37↘30 mm	361029	4000461037948	9,90
55↘52 mm	361031	4000461040320	9,90
58↘52 mm	361032	4000461040337	9,90
62↘52 mm	361033	4000461040344	12,90
58↘55 mm	361034	4000461040924	9,90
43↘37 mm	361039	4000461043062	9,90
77↘72 mm	361072	4000461038464	12,90

55MM SER VII

Series VII Adapters

Characteristics

There are photo accessories with the universal Series VII mount. The adapters allow the combination with all popular lens sizes.

Lens ∅	Item No	EAN13	MSRP €
37 mm	322037	4000461040306	12,90
43 mm	322043	4000461053634	12,90
46 mm	322046	4000461001086	12,90
49 mm	322049	4000461001093	12,90
52 mm	322052	4000461001109	12,90
55 mm	322055	4000461001116	12,90
58 mm	322058	4000461001123	12,90
62 mm	322062	4000461001130	12,90
67 mm	322067	4000461001147	12,90
72 mm	322072	4000461021695	12,90

T2 Adapter

Characteristics

These metal adapters allow to combine lenses and accessories with universal T2 mount to DSLR and SLR cameras.

Lens ∅	Item No	EAN13	MSRP €
CANON EOS	321722	4000461000867	29,00
CANON FD	321702	4000461000720	29,00
LEICA R	321712	4000461000829	29,00
M42	321700	4000461000706	29,00
Mikro 4/3	321803	4000461054990	29,00
MIN MD	321701	4000461000713	29,00
NIKON	321703	4000461000737	29,00
NIKON 1	321704	4000461065071	29,00
OLY 4/3	321800	4000461025693	29,00
OLY OM	321705	4000461000751	29,00
PEN PK	321706	4000461000768	29,00
Petri BAJ	321714	4000461000843	29,00
Praktica B	321716	4000461014383	29,00
Rollei/Voigtl.	321708	4000461000782	29,00
SONY/MIN Dyn	321721	4000461000850	29,00
SONY NEX- E	321725	4000461063312	29,00

0,2x Ultra Wide Conversion Lens 37mm

Characteristics

Most camcorders do not offer a real wide angle – this may be disturbing in smaller rooms. This conversion lens expands your lens without any loss of quality, extreme wide angle effects or circle round image distortions. It provides a full format image.

- Change of focal length by: 0,20x
- Mount: 37 mm, supplied with stepping rings 25, 27, 30 and 30,5 mm
- MC Multi Coating
- Silver colored metal frame
- Measurements: 27 x ø 46 mm
- Weight: 71 g
- Made in Japan

Item No	EAN13	MSRP €
361013	4000461038419	139,00

0,25x Super Fish Eye Conversion Lens 52mm

Characteristics

Provides a typical fish eye effect – circle round image. Ideal for panorama and effect photography. Widens the angle of view to app. 165°.

- Change of focal length by: 0,25x
- Mount: 52mm – stepping rings optionally available
- Coated lenses
- Metal black frame
- Measurements: ca. 67 x ø 67 mm
- Weight: 240 g
- Made in Japan

Item No	EAN13	MSRP €
361014	4000461066412	99,00

0,42x Super Wide+Macro Conversion Lens / 46mm

Characteristics

Inexpensive wide angle conversion lens with coated optics. Ideal for landscape, panorama and indoor photography. The rear lens can be removed and used as a separate close-up lens (10 dioptres).

- Change of focal length by: 0,42x
- Mount: Series VII & 46 mm
- Front accessory mount: 67 mm
- Coated optics
- Metal black frame
- Measurements: 44x ø 68 mm
- Weight: 149 g
- Made in Japan

Item No	EAN13	MSRP €
361010	4000461038044	95,00

0,45x DHG Wide Angle Conversion Lens 37mm

Characteristics

High quality conversion lens for hybrid and system cameras. You get 50% more on your image. No loss of image quality. Ideal for landscape, panorama and indoor photography. Removable close up lens for independent use.

- Change of focal length by 0,45x
- Mount: 37 mm
- Front accessory mount: 43 mm
- MC Multi Coating
- Metal black frame
- Measurements: 46x ø 24 mm
- Weight: 77 g

Item No	EAN13	MSRP €
361019	4000461056253	110,00

0,75x DHG Wide Angle Conversion Lens 52mm

Characteristics

Optimum image quality is granted by the high Digital High Grade Multi Coated optics. Ideal for landscapes, overviews, groups and indoor photography. Especially recommended for use with DSLR cameras and standard zoom lenses.

- Change of focal length by: 0,75x
- Mount: 52 mm, supplied with stepping rings 55 & 58 mm
- DHG Multi Coating
- Metal black frame
- Measurements: 73,5x ø 36 mm
- Weight: 180 g
- Made in Japan

Item No	EAN13	MSRP €
361018	4000461042881	149,00

Press Comments & Awards

DigitalPHOTO 05/2012:
0,25x Super Fish Eye
"... robust construction.... The DÖRR 0,25x Super Fish Eye offers a low budget start into effect photography"

Foto Praxis 02/09:
0,75x DHG Wide Angle Conversion Lens
"Finally there is more on the picutre."
"Indeed a solid and perfect workmanship.



w/o Fisheye



with Fisheye

Filters

Digi Line UV Protect, Circular Polarzing Filters and Filter Kits

DÖRR DIGI LINE UV PROTECT 58mm

Digi Line UV Protect Filter

Characteristics

Entry level UV protect filters with improved definition and “Slime Line” frame.

- Protects the lens of your digital camera
- Color neutral
- Slim line frame avoids vignetting.
- Non-reflective metal frame
- Front filter thread for extra accessories

Lens ∅	Item No	EAN13	MSRP €
37 mm	310137	4000461051814	19,90
40,5 mm	310140	4000461051821	19,90
43 mm	310143	4000461051838	19,90
46 mm	310146	4000461051845	19,90
49 mm	310149	4000461051852	19,90
52 mm	310152	4000461043390	19,90
55 mm	310155	4000461043406	19,90
58 mm	310158	4000461043413	22,00
62 mm	310162	4000461043420	22,00
67 mm	310167	4000461043437	25,00
72 mm	310172	4000461043444	25,00
77 mm	310177	4000461043451	29,90
82 mm	310182	4000461051869	36,90
86 mm	310186	4000461065866	39,90

DÖRR DIGI LINE CIRCULAR POLARIZING

Digi Line Circular Polarizing Filter

Characteristics

Entry level CPL filters with improved definition and “Slime Line” frame to avoid vignetting.

- Enhances contrasts and color saturation
- Eliminates reflections on non-metallic surfaces
- Non-reflective metal frame

Lens ∅	Item No	EAN13	MSRP €
37 mm	310237	4000461051876	39,00
40,5 mm	310240	4000461051883	39,00
43 mm	310243	4000461051890	39,00
46 mm	310246	4000461051906	39,00
49 mm	310249	4000461051913	39,00
52 mm	310252	4000461043468	39,90
55 mm	310255	4000461043475	39,00
58 mm	310258	4000461043482	42,00
62 mm	310262	4000461043499	42,00
67 mm	310267	4000461043505	59,00
72 mm	310272	4000461043512	59,00
77 mm	310277	4000461043529	79,00
82 mm	310282	4000461051920	85,00
86 mm	310286	4000461066306	89,00

Digi Line All-in-One Kit

Characteristics

The bargain kit comprises the following items in Nylon case:
- 1x Digi Line UV Filter
- 1x Digi Line CPL Filter

Add-on:
- 1x Close-up lens +4 diopters, ideal for macro shots, close-focus 16 cm = ratio 1 : 2,8

Lens ∅	Item No	EAN13	MSRP €
37 mm	378037	4000461062544	52,90
40,5 mm	378040	4000461062551	52,90
43 mm	378043	4000461062568	52,90
46 mm	378046	4000461062575	54,90
49 mm	378049	4000461062582	54,90
52 mm	378052	4000461061752	54,90
55 mm	378055	4000461061769	54,90
58 mm	378058	4000461061776	56,90
62 mm	378062	4000461061783	65,90
67 mm	378067	4000461061790	72,90
72 mm	378072	4000461061806	79,90
77 mm	378077	4000461061813	84,90

DÖRR DIGITAL UV
DÖRR DIGITAL UV 82MM

UV Protect Filter

Characteristics

- Protects your camera’s front lens
- Takes effect on UV rays and mist
- Color neutral
- Front filter thread for extra accessories

Lens ∅	Item No	EAN13	MSRP €
25 mm	310025	4000461025617	19,90
27 mm	310027	4000461006340	19,90
30,5 mm	310035	4000461015502	19,90
46 mm	310046	4000461000324	19,90
82 mm	310082	4000461008849	35,00

Press Comments & Awards

Fotomagazin 04/2009
“The new Digi Line filters are fitted with ultra slime frames and are prices reasonably.“

„...so they offer perfect protection against UV rays and mist and prevents scratches on the lens“



w/o close-up lens



with close-up lens +4 diopters.

DHG UV Filter

Characteristics

DÖRR UV filters protect the front lens from humidity, dust and scratches. They are totally color neutral and do not cause any loss of light. So they can smoothly stay on the lens.

- DHG 10x Multi Coating on both sides ensures 99,5% light transmission
- Ultra slim frame avoids vignetting
- Black coated metal frame and black glass edges reduce reflections
- Front filter thread
- Made in Japan

Lens ∅	Item No	EAN13	MSRP €
37 mm	316037	4000461035852	32,90
40,5 mm	316040	4000461050541	32,90
43 mm	316043	4000461035869	32,90
46 mm	316046	4000461035593	32,90
49 mm	316049	4000461035609	32,90
52 mm	316052	4000461035616	36,00
55 mm	316055	4000461035623	36,00
58 mm	316058	4000461035630	39,90
62 mm	316062	4000461035647	42,90
67 mm	316067	4000461035654	48,00
72 mm	316072	4000461035661	52,00
77 mm	316077	4000461035678	59,00
82 mm	316082	4000461035685	69,00

DHG Super Protect UV Filter

Characteristics

Same as DHG UV filter, but featuring an additional Nano coating to make the filter surface scratch-proof and water and oil repellent.

- DHG 12x Multi Coating on both sides ensures 99,5% light transmission
- “Super“ stands for additional Nano coating
- Ultra slim frame avoids vignetting
- Black coated metal frame and black glass edges reduce reflections
- Front filter thread
- Made in Japan

Lens ∅	Item No	EAN13	MSRP €
52 mm	316652	4000461039850	44,00
55 mm	316655	4000461039867	46,00
58 mm	316658	4000461039874	53,00
62 mm	316662	4000461039881	62,00
67 mm	316667	4000461039898	72,00
72 mm	316672	4000461039904	79,00
77 mm	316677	4000461039911	88,00
82 mm	316682	4000461039928	99,00

DHG Circular Polarizing Filter

Characteristics

Eliminates reflections on non-metallic surfaces by simply rotating the filter. For improved color saturation and rich contrasts.

- DHG 10x Multi Coating on both sides ensures 99,5% light transmission
- Ultra slim frame avoids vignetting
- Black coated metal frame and black glass edges reduce reflections
- Front filter thread
- Made in Japan

Lens ∅	Item No	EAN13	MSRP €
37 mm	316137	4000461035876	79,90
40,5 mm	316140	4000461050558	79,90
43 mm	316143	4000461035883	79,90
46 mm	316146	4000461035692	79,90
49 mm	316149	4000461035708	79,90
52 mm	316152	4000461035715	86,00
55 mm	316155	4000461035722	89,00
58 mm	316158	4000461035739	95,00
62 mm	316162	4000461035746	105,00
67 mm	316167	4000461035753	114,00
72 mm	316172	4000461035760	129,00
77 mm	316177	4000461035777	139,00
82 mm	316182	4000461035784	159,00

DÖRR Adventure Filter Case

Characteristics

Black Nylon case with 4 compartments for filters or other accessories, e.g. memory cards.

- Filters are secured by a flexible strap and velcro closure
- Each compartment offers space for a filter of max. ø 82mm

Item No	EAN13	MSRP €
320050	4000461039560	16,90

DHG UV – Circular Polarizing Filters

DÖRR DHG Super Protect CPL 58mm

DHG Super Cirkular Polarizing Filter

Characteristics

Same as DHG Circular Polarizing filter, but featuring an additional Nano coating to make the filter surface scratch-proof and water and oil repellent.

- DHG 12x Multi Coating on both sides ensures 99,5% light transmission
- Ultra slim frame avoids vignetting
- Black coated metal frame and black glass edges reduce reflections
- Front filter thread
- Made in Japan

Lens ∅	Item No	EAN13	MSRP €
52 mm	316752	4000461039935	99,00
55 mm	316755	4000461039942	109,00
58 mm	316758	4000461039959	115,00
62 mm	316762	4000461039966	119,00
67 mm	316767	4000461039973	129,00
72 mm	316772	4000461039980	139,00
77 mm	316777	4000461039997	149,00
82 mm	316782	4000461040009	179,00

Examples



w/o Filter



with Polarizing Filter

Worth to know

Light incidence on a glass surface causes a loss of app. 5% of the light by reflections, contrast brilliance and sharpness are reduced. In order to avoid dull images, the filter surfaces are treated with a metal oxide layer, also known as “coating”. High quality filters boast of a number of coating layers = Multi Coating. As an effect, reflections are almost eliminated. High end quality filters boast of an additional Nano coating to make them liquid and dirt repellent. They are easier to clean more robust then other filters.

Quality Features of DÖRR DHG Filters

DHG stands for Digital High Grade

- DHG Multi Coating on both sides ensures 99,5% light transmission and avoids reflections, loss of sharpness, contrast and brilliance. Number of coating layers for DHG filters: 10 layers, Super DHG filters: 12 layers.
- Ultra slim frame avoids vignetting when taking wide angle pictures
- Black coated metal frame and black glass edges reduce reflections within the filters

DHG Light Control ND8 58 mm
Made in Japan

DHG ND8 Neutral Density Filter

Characteristics

The DHG ND8 neutral density filter extends the exposure time by factor 8 which corresponds to 3 aperture stops (f-stops). Example: the surrounding light conditions allow an f- stop of f8.0, it can change to f2.8 using the DHG ND8 filter – so you can reduce the focus range for more creative shots.

- Color neutral due to neutral density
- Factor 8x corresponds to 3 aperture stops
- Perfectly protects the lens of your digital camera
- Optimizes contrast results of your digital camera
- Non-reflective ultras slime frame avoids vignetting
- DHG Multi Coating on both sides
- Made in Japan

Lens ∅	Item No	EAN13	MSRP €
37 mm	316437	4000461044779	45,00
43 mm	316443	4000461044786	45,00
46 mm	316446	4000461044793	45,00
49 mm	316449	4000461044809	45,00
52 mm	316452	4000461044816	45,00
55 mm	316455	4000461044823	45,00
58 mm	316458	4000461044830	55,00
62 mm	316462	4000461044847	55,00
67 mm	316467	4000461044854	68,00
72 mm	316472	4000461044861	69,00
77 mm	316477	4000461044878	79,00
82 mm	316482	4000461044885	89,00

DÖRR ND 3.0 1000x 77mm

ND 3.0 Neutral Density Filter 1000x

Characteristics

The ND1000 filter extends the exposure time by factor 1000 which corresponds to 10 f-stops. Example: an exposure time of 1/1000s can be changed to 1s using the ND1000 neutral density filter. As an effect of longer exposure time, you can for example “eliminate“ people moving on squares or landscapes.

- Optimum contrasts brilliance even with more open aperture
- Reduces the depth of field without overexposure
- Reduces the amount of light by 10 f-stops
- Reduces the available exposure time by a factor of 1000x
- Slim filter frame – avoids vignetting as of a focal length of 18 mm (APS-C) or 28 mm (35mm)
- Black coated metal frame reduces reflections

Lens ∅	Item No	EAN13	MSRP €
37 mm	318037	4000461063404	22,90
40,5 mm	318040	4000461063411	22,90
46 mm	318046	4000461063428	22,90
49 mm	318049	4000461063435	22,90
52 mm	318052	4000461063442	24,90
55 mm	318055	4000461063459	27,90
58 mm	318058	4000461063466	29,90
62 mm	318062	4000461063473	36,90
67 mm	318067	4000461063480	39,90
72 mm	318072	4000461063497	49,90
77 mm	318077	4000461063503	54,90
82 mm	318082	4000461063510	59,90


w/o ND 8 filter


with ND 8 filter


w/o ND 3.0 filter


with ND 3.0 filter

Worth to Know

Often there is too much light to take attractive portraits with small f-stop (large aperture opening). So the surrounding light disturbs the creative photographer.

A neutral density (ND) filter shades the picture equally and color neutrally. So the exposure time can be reduced and the larger aperture opening is now possible.

If you wish to produce a motion blur effect for example with floating water, you can increase the exposure time using a neutral density filters.

DHG ND8
The DHG ND8 filter increases the exposure time by factor 8 which corresponds to 3 aperture stops. The focus range can thus be reduced for creative photography. Even for studio photography the ND8 filters can be of great assistance. Often the studio flashes are too powerful to take pictures with large aperture opening.

ND1000
The reproduction of floating water naturally requires an exposure time of 1/30s or longer, which is almost impossible at sunshine. The ND1000 filter extends the exposure time by 1000 times. As an effect of longer exposure time, you can also “eliminate“people moving on squares or landscapes.

Filters

Variable ND Filters & Soft Fantasy Filters

DHG Soft Fantasy 55 mm
Made in Japan

ND4-400 Variable Neutral Density Filter

Characteristics

Best solution for photographers who wish to react flexibly on light conditions. The ND4-400 increases exposure time variably by the factor 4 up to 400x which corresponds to 1 to 8 f-stops. So you can master any light situation no matter if its landscape, portrait, studio and outdoor photography.

- Variable light reduction by 1 to 8 aperture stops
- Optimum contrasts brilliance even with more open aperture
- Reduces the depth of field without overexposure
- Slim filter frame avoids vignetting as of focal length of 18 mm (APS-C) or 28 mm (35mm)
- Black coated metal frame reduces reflections
- Supplied in Nylon soft case and lens cap

Lens ∅	Item No	EAN13	MSRP €
37 mm	310337	4000461063343	44,90
49 mm (40,5+46 mm)	310349	4000461063350	52,90
58 mm (52+55 mm)	310358	4000461062896	56,90
67 mm (62 mm)	310367	4000461062919	66,90
77 mm (72 mm)	310377	4000461062933	74,90

DHG Soft Fantasy Filter

Characteristics

Soft Fantasy filters can produce dreamy portraits or wedding pictures or landscape pictures full of atmosphere. They produce a slight soft-focus effect over the full image.

- Soft filters for definite sharpness all over the image
- DHG Multi Coating
- Ultra slim frame avoids vignetting
- Black coated metal frame reduces reflections
- Made in Japan
- Including adapter rings (see chart)

Lens ∅	Item No	EAN13	MSRP €
55 mm (52+49 mm)	316855	4000461045042	44,90
67 mm (58+62 mm)	316867	4000461045059	54,90
77 mm (67 mm)	316877	4000461045066	64,90


w/o ND 4-400 filter


with ND 4-400 filter


w/o Fantasy filter


with Fantasy filter

Vario ND 4-400

Light conditions change. For optimum picture composing a photographer therefore requires a selection of neutral density filters. The variable settings available from the ND 4-400 help to master any light situation no matter if its landscape, portrait, studio or outdoor photography.

Graduated Color Filters

Characteristics

Rotating frame allows to use the graduated effect for any situation. Creates harmonic light sceneries with balanced exposure. Ideal for photography and video filming. Front filter mount for additional accessories available.

- Graduated color filter grey: Color neutral, for more balanced exposure when brightness varies
- Graduated color filter blue: Enhances colors for special effects or a deep blue sky
- Graduated color filter orange: Creates impressive sunsets or sets thundery clouds into dramatic scenery.
- Graduated color filter tobacco: Enhances warm earth tones or for dramatic sky scenery

Color	Lens ∅	Item No	EAN13	MSRP €
grey	37 mm	318137	4000461063527	24,90
	40,5 mm	318140	4000461063534	24,90
	46 mm	318146	4000461063541	24,90
	49 mm	318149	4000461063558	24,90
	52 mm	318152	4000461063565	27,90
	55 mm	318155	4000461063572	29,90
	58 mm	318158	4000461063589	34,90
	62 mm	318162	4000461063596	39,90
	67 mm	318167	4000461063602	44,90
	72 mm	318172	4000461063619	49,90
	77 mm	318177	4000461063626	54,90
	82 mm	318182	4000461063633	59,90
blue	37 mm	318237	4000461063640	24,90
	40,5 mm	318240	4000461063657	24,90
	46 mm	318246	4000461063664	24,90
	49 mm	318249	4000461063671	24,90
	52 mm	318252	4000461063688	27,90
	55 mm	318255	4000461063695	29,90
	58 mm	318258	4000461063701	34,90
	62 mm	318262	4000461063718	39,90
	67 mm	318267	4000461063725	44,90
	72 mm	318272	4000461063732	49,90
	77 mm	318277	4000461063749	54,90
	82 mm	318282	4000461063756	59,90
orange	37 mm	318337	4000461063763	24,90
	40,5 mm	318340	4000461063770	24,90
	46 mm	318346	4000461063787	24,90
	49 mm	318349	4000461063794	24,90
	52 mm	318352	4000461063800	27,90
	55 mm	318355	4000461063817	29,90
	58 mm	318358	4000461063824	34,90
	62 mm	318362	4000461063831	39,90
	67 mm	318367	4000461063848	44,90
	72 mm	318372	4000461063855	49,90
	77 mm	318377	4000461063862	54,90
	82 mm	318382	4000461063879	59,90
tobacco	37 mm	318437	4000461063886	24,90
	40,5 mm	318440	4000461063893	24,90
	46 mm	318446	4000461063909	24,90
	49 mm	318449	4000461063916	24,90
	52 mm	318452	4000461063923	27,90
	55 mm	318455	4000461063930	29,90
	58 mm	318458	4000461063947	34,90
	62 mm	318462	4000461063954	39,90
	67 mm	318467	4000461063961	44,90
	72 mm	318472	4000461063978	49,90
	77 mm	318477	4000461063985	54,90
	82 mm	318482	4000461063992	59,90

Worth to Know

Graduated Color Filter grey: often the sky on pictures is too bright. Exposure time should be shorter for the sky then for the main object. Using grey colored graduated filter you can achieves correct correct exposure all over the image, clouds will be enhanced.

Graduated Color Filters: a boring sky can spoil the picture result. A graduated color filter gets more excitement to the picture. The sky scenery can change from romantic to threatening.

graduated grey filter

graduated blue filter



graduated orange filter

graduated tobacco filter

Macro Accessories

Close-Up Lenses, Extension Tubes

DHG Macro Achromat 3dptr 67mm

CLOSE-UP (+4) 58MM
CLOSE-UP (+2)
CLOSE-UP (+1) 58MM

DHG Achromatic Close-Up Lens

Characteristics

Cheaper than a macro lens but achieves astonishing results! The achromatic close-up lenses are mounted on the filter mount of the lens. They are supplied with stepping rings – for details see chart.

- Outstanding image quality without color fringes are provided by the achromatic lens
- Focus distance reduction with 3 diopters: down to approx 1/3, with 5 diopters down to app. 1/5
- For digital and traditional cameras and camcorders
- Optical contruction: 2 elements in 1 group
- No loss of light
- DHG Multi Coating
- Black aluminum lens frame

Dioptr.	Lens ∅	Adapter Rings	Item No	EAN13	MSRP €
3	55 mm	52 / 49 mm	316355	4000461036521	109,00
	67 mm	58 / 62 mm	316367	4000461036514	159,00
	77 mm	72 mm	316377	4000461037047	199,00
5	55 mm	52 / 49 mm	316555	4000461036545	109,00
	67 mm	58 / 62 mm	316567	4000461036538	159,00
	77 mm	72 mm	316577	4000461037054	199,00

Macro Kit 37mm (+1, +2, +4 Dioptr.)

Characteristics

Inexpensive solution to expand your camera lens for close-up shots. The close-up lens is screwed into the filter thread of your lens, whereby up to 2 close-up lenses can be combined (max. 6 dptrs). Now you get closer to your object. The larger the focal length, the more effective the close-up lens will be. Using 50mm focal length a ratio of approx 1:2 is achievable. For optimum results close the camera aperture by 2 to 3 stops.

- Kit includes 3 close-up lenses with 1, 2 and 4 diopters
- To be screwed into the filter thread of lens
- Metal frame
- Comes with front thread for additional lens or lens hood
- All camera program modes can be used
- Supplied with protective case

Lens ∅	Item No	EAN13	MSRP €
37 mm	368037	4000461055003	39,90
43 mm	368043	4000461055010	39,90
46 mm	368046	4000461055027	39,90
49 mm	368049	4000461062537	39,90
52 mm	368052	4000461031472	39,90
55 mm	368055	4000461031489	39,90
58 mm	368058	4000461031496	39,90
62 mm	368062	4000461031502	59,90
67 mm	368067	4000461031519	59,90
72 mm	368072	4000461037122	69,90

Extension Tube Set

DÖRR 12mm
DÖRR 20mm
DÖRR 36mm

Characteristics

For great macro shots. The extension tubes can be used individually or combined. They are mounted between the camera and lens. They reduce the minimum distance of the camera lens and thus increase the ratio for close-up photography.

- Extension tubes 12, 20 and 36 mm resp. 13, 21 and 31 mm (Pentax)
- For digital and traditional SLR cameras
- Ratios of 1,5:1 and more can be achieved
- Manual focusing
- Supports all camera program modes except autofocus

Camera Type	mm	Item No	EAN13	MSRP €
Canon EOS	12/20/36	323022	4000461068713	159,00
Nikon AF	12/20/36	323023	4000461068720	169,00
Sony	12/20/36	323021	4000461068737	169,00
Pentax PK/A	13/21/31	323016	4000461001260	159,00

DÖRR

GO Filter System

Filter Holder, Square Filters


GO Lens Hood


GO Filter


GO Filter Holder


GO Adapter Ring

Those who frequently use filters will love the GO Filter System. With a simple GO system adapter the filter holder is mounted to the lens. Now up to 3 GO square filters can slide simultaneously into the filter holder. So the change of filters is much faster than with the traditional screw type filters. Using graduated filters, it is upon the user's creativity to slide the filters up and down, to use them up-side down or to combine various filters. The GO System Lens Hood avoids disturbing reflections.

Filter Holder for GO Filter System

The center component of the GO filter system! It attaches easily to the lens in combination with a GO adapter ring. Then the desired filters can be inserted.

Item No	EAN13	MSRP €
318840	4000461064111	9,90

Lens Hood for GO Filter System

Ideally compliments the GO filter system. The lens hood avoids reflections and lateral stray light. It is simply plugged onto the filter holder.

Item No	EAN13	MSRP €
318841	4000461064128	7,90

Metal Adapter for GO Filter System

They combine with the GO filter holder.

Lens ∅	Item No	EAN13	MSRP €
49 mm	318849	4000461064135	7,90
52 mm	318852	4000461064142	7,90
55 mm	318855	4000461064159	7,90
58 mm	318858	4000461064166	7,90
62 mm	318862	4000461064173	7,90
67 mm	318867	4000461064180	7,90
72 mm	318872	4000461064197	7,90
77 mm	318877	4000461064203	7,90
82 mm	318882	4000461064210	7,90

GO Graduated Color Filter

A boring sky can spoil the picture result. A graduated color filter gets more excitement to the picture. The sky scenery can change from romantic to threatening.

• YELLOW	Creates harmonic light sceneries in landscapes with predominant sky
• ORANGE	Creates impressive sunsets or sets thundery clouds into dramatic scenery
• RED	Creates impressive sunsets even when the sky looks unimposing
• TOBACCO	Enhances warm earth tones or for dramatic sky scenery
• GREEN	Turns green colors in nature more shading. Ideal for landscapes with water
• BLUE	Enhances colors for special effects or a deep blue sky
• GREY	Color neutral, for a more balanced exposure when brightness varies

Color	Item No	EAN13	MSRP €
Yellow	318811	4000461064067	19,90
Orange	318814	4000461064098	19,90
Red	318810	4000461064050	19,90
Tobacco	318816	4000461064357	19,90
Green	318813	4000461064081	19,90
Blue	318812	4000461064074	19,90
Grey	318815	4000461064104	19,90

GO Black & White Color Filter

Color filter for creative Black & White Photography. To combine with the GO filter holder.

• YELLOW	Blue (sky) gets darker, reduces haze slightly, clouds show rich contrasts, red and green color become lighter. Ideal for landscapes
• ORANGE	Effects are in between yellow and red, less alienation then with red filter
• RED	Blue (sky) gets visibly darker, creates a high contrast of clouds in the sky, haze is toned down considerably, red gets lighter, skin tones get more pale. Great for dramatic landscapes
• GREEN	Red and blue get darker, green gets lighter and more shading (nature). Creates a beautiful skin for portraits
• BLUE	Red gets darker, blue lighter. Reinforces haze, reduces contrast, produces diffuse and hazy atmosphere

Color	Item No	EAN13	MSRP €
Yellow	318801	4000461064012	19,90
Orange	318804	4000461064043	19,90
Red	318800	4000461064005	19,90
Green	318803	4000461064036	19,90
Blue	318802	4000461064029	19,90

Examples



w/o Filter



B/W Red



B/W Yellow



B/W Orange



B/W Green



B/W Blue



w/o Filter



Graduated red



Graduated yellow



Graduated orange



Graduated tobacco



Graduated green



Graduated blue



Graduated grey

Macro Flashes

Combi "P" TTL Flash



Firmware Update available

Characteristics

2 in 1 device: The **main flash** is ideal for all regular objects. TTL flash control automatically provides the correct illumination – no settings required, manual setting available. For close-up shots the **macro ring** is connected to the main flash. For determined shadows the two sides of the ring flash can be used individually. Modelling light included.

- Zoom flash head for focal lengths of 28, 35, 50 and 85mm, manually adjustable
- Bounce angles: 0°/30°/45°/60°/90°
- Flash duration: app. 1/500 s - 1/2.000 s, flash recycling time app. 0,5-7 s
- AF illumination for low ambient light, range 1-5m, color temperature app. 5.500K
- Measurements: app. 85 x 73 x 120 mm, weight: app. 250 g (w/o batteries)
- Power source: 4xAA 1,5V batteries or rechargeable NiCd/NiMH batteries
- Mounted to lens with supplied stepping rings: 52, 55, 58, 62, 67, 72mm

DAF 14 Ring Flash TTL



Characteristics

Ideal for shadow free illumination in macro photography. TTL flash control automatically provides the correct illumination – no settings required.

- Guide no. 14 (ISO 100 / 50 mm)
- Automatic TTL flash exposure control
- Guide no. 14 (ISO 100 / 50 mm)
- Automatic TTL flash exposure control
- Flash duration 1/700 s (full power ratio)
- Color temperature 5.600 K
- Connects to camera lens filter thread 52 mm
- Supplied with adapter rings 55, 58 und 67mm
- Power source: 4xAA 1,5V batteries or rechargeable NiCd/NiMH batteries

Combi "P" TTL Flash

Camera Type	Item No	EAN13	MSRP €
Canon	371131	4000461058707	259,00
Nikon	371132	4000461058714	259,00
Sony/ Minolta	371133	4000461058721	259,00
Pentax/ Samsung	371134	4000461058738	259,00
Olympus / Panasonic	371135	4000461058745	259,00

DAF 14 Ring Flash TTL

Camera Type	Item No	EAN13	MSRP €
Canon	371015	4000461041822	139,00
Nikon	371016	4000461041839	139,00
Sony/ Minolta	371017	4000461050596	139,00

Note

Visit our praxis workshop at:
http://www.youtube.com/watch?v=UWKisuZ2VWQ&feature=plcp

Press Comments & Awards

foto MAGAZIN 3/09 ★★★ VERY GOOD

Foto Magazin 03/11: **Combi TTL**
"The flash/ring flash combination is an ideal comliment."

Fotomagazin 03/2009: **DAF14**
„VERY GOOD"

LED Ring Lights

LED Macro Ring Light Ultra 48

DÖRR
LED Ultra 48
DÖRR

Characteristics

48 LEDs ensure permanent and even illumination for all macro and close-up shots. For three- dimensional effects, it is possible to switch on one side of the ring with 24 LEDS only.

- Constant light with 5500 - 6500 K
- For all cameras with filter thread 49, 52, 55, 58, 62 und 67mm, (stepping rings included)
- Light intensity: 185 Lux/1m at full power ratio (48 LEDs), 130 Lux/1m at half power ratio (24 LEDs)
- Recommended distance to the object: 3 to 100 cm
- Power source: 2xAA 1,5V batteries or rechargeable NiCd/NiMH batteries
- Measurements control unit: 91x44x44mm, ring light: 128x103x28mm
- Weight: app. 184g (w/o batteries)
- Supplied with AC adapter

LED Macro Ring Light Ultra 48

Item No	EAN13	MSRP €
371040	4000461053825	99,00



LED Ring Light Ultra 80 with Flash

Characteristics

80 LEDs ensure permanent and even illumination for all macro and close-up shots. The additional flash provides even more light and improves the depth of field (1 f-stop).

- Well suited for all DSLRs and digicams with filter mount
- Color temperature: app. 5.500K- 6.500 K (daylight)
- Light intensity: 450 Lux/1m with 80 LEDs
- Power source: 4xAA 1,5V batteries or rechargeable NiCd/NiMH batteries
- Recommended distance to the object: 3 to 100 cm
- Mounts to lens filter thread 52, 55, 58, 62, 67 und 72mm (stepping rings included)
- Measurements: control unit: 93x67x67mm, ring light: 142x119x28mm
- Weight: app. 260g (w/o batteries)

LED Ring Light Ultra 80 with Flash

Item No	EAN13	MSRP €
371080	4000461066320	169,00



LED 16 Ring Light PRO

Characteristics

16 LEDs ensure permanent and even illumination for all macro and close-up shots. The circle round order of the LEDs grants shadow free illumination which is ideal for medical, dental and technical photography.

- Light intensity: app. 64 Lux/1m
- Color temperature: app. 5.500 K
- Recommended distance to the object: 2,5cm to 25cm
- Mount 77mm, supplied with stepping rings for 62, 67 and 72mm
- Power source: 4xAA 1,5V batteries or rechargeable NiCd/NiMH batteries
- Weight: app. 223g

Item No	EAN13	MSRP €
371023	4000461031298	189,00

DÖRR LED-16 MACRO

DCF 50 Wi Digital Power Zoom

Firmware Update available

Characteristics

Compact power zoom flash packed with latest technology features at a moderate price. W-TTL flash control for distant flashes without embarrassing cables, flexible multi slave function, high speed synchronization, extra LCD and many more features for perfect flash photography.

- **Guide no. 50 at 105mm (46 at 85mm, 42 at 50mm) with ISO 100**
- Power zoom flash head for focal lengths: 24-28-35-50-70-85-105mm
- Multi angle bounce and swivel flash head, integrated reflecting plate and diffuser
- Multi slave function, depends on camera, AF measuring beam, power saving function
- 6 Power ratio levels from full ratio to 1/32
- Wireless TTL flash control - (for W-TTL compatible cameras only)
- Power source: 4xAA 1,5V batteries or rechargeable NiCd/NiMH batteries
- Measurements: app. 65 x 100 x 120 mm, weight (w/o batteries): app. 250g

DAF-42 "P" Power Zoom Flash

DAF 42 P
Power Zoom

Firmware Update available

Characteristics

Powerful high quality AF TTL zoom flash at a modest price. The camera related TTL flash control ensures best illumination every time flash light is needed. The power zoom automatically adjusts to the set focal length so that the coverage matches the angle of view.

- **Guide No. 24 to 42 / ISO 100**
- Power zoom flash head for focal lengths of 24-28-35-50 and 85mm
- Incorporated slave function range more than 10m
- Bounce and swivel flash head for 0°/45°/60°/75°/90° including diffuser and reflector plate
- 5 Power ratios: full, 1/2, 1/4, 1/8, 1/16
- Flash ready and exposure control indicator, power saving function
- Power source: 4xAA 1,5V batteries or rechargeable NiCd/NiMH batteries
- Measurements: 173 x 73 x 56 mm, weight: app 280g (w/o batteries)

DCF 50 Wi Digital Power Zoom

Camera Type	Item No	EAN13	MSRP €
Canon	371050	4000461056376	259,00
Nikon	371051	4000461056383	259,00
Sony/ Minolta	371052	4000461062025	259,00
Pentax/ Samsung	371053	4000461062032	259,00
Olympus / Panasonic	371054	4000461062049	259,00

DAF-42 "P" Power Zoom Flash

Camera Type	Item No	EAN13	MSRP €
Canon	371101	4000461058608	219,00
Nikon	371102	4000461058615	219,00
Sony/ Minolta	371103	4000461058622	219,00
Pentax/ Samsung	371104	4000461058639	219,00
Olympus / Panasonic	371105	4000461058646	219,00

Press Comments & Awards

Chip Foto Video 05/11: **DCF 50 wi**
"The motor zoom bounce and swivel flash head is fitted with wireless TTL flash control – ideal for distant flashes. „

Foto Magazin 02/11: **DAF 42**
„Comparable to Metz 58 AF-2"
Com-On 06/11: **DAF 42**
"The visual appearance and surface feel almost compares tot he Speedlites."
Digital Imaging 04/11: **DAF 42**
"The DÖRR DAF 42 „P" PowerZoom flash is a powerful flash with guide no. 42"

Note

For compatibility information of DÖRR flashes with your camera, visit www.doerrfoto.de

DÖRR BK1900 Trigger Flash

DORR Blitz
BK 1900 i

Characteristics

- Guide no. 19 bei ISO 100
- Trigger flash with 2 options:

1. Single Slave Mode: will flash with camera flash
2. Multi Pre Slave Mode: will flash with camera flash, considers digicam's flash pre-flash

- Power source: 3xAAA 1,5V batteries or rechargeable NiCd/NiMH batteries

Item No	EAN13	MSRP €
371110	4000461031267	45,00

Flash Adapter Sony Alpha / Konica Minolta

Characteristics

Allows the use of flashes with hot-shoe contact with Sony Alpha & Konica Minolta cameras. The incorporated high voltage protection avoids excess voltage damages at the camera. No auto flash control functions provided

Item No	EAN13	MSRP €
370205	4000461043772	45,00

Flashes

TTL Zoom Flashes / Universal Flashes / Flash & Camera Release

DAF-34 "P" TTL Zoom Flash

DAF 34 P
Zoom Flash
f/Canon

Firmware Update available

Characteristics

This compact yet powerful zoom flash provides the correct illumination even at difficult light circumstances. The TTL flash control automatically provides the correct illumination – no settings required.

- **Guide No. 16-34 / ISO 100**
- Bounce and zoom flash head for 28/35/50 und 85mm focal length
- AF metering light
- Power source: 4xAA 1,5V batteries or rechargeable NiCd/NiMH batteries
- Measurements: 154x73x45mm, weight app. 200g (w/o batteries)

D 320 C Universal Zoom Flash

Characteristics

Inexpensive powerful flash with standard flash shoe, 4 auto flash control settings and hot shoe contact. The additionally supplied sync cord allows the usage with older cameras without hot-shoe contact.

- **Guide No. 32/ISO100**
- Standard flash shoe
- 4 auto flash control settings
- Flash head for 35-85mm
- Hot-shoe contact
- Supplied with sync cord
- Power source: 4xAA 1,5V batteries or rechargeable NiCd/NiMH batteries

DAF-34 "P" TTL Zoom Flash

Camera Type	Item No	EAN13	MSRP €
Canon	370911	4000461058653	119,00
Nikon	370912	4000461058660	119,00
Sony/ Minolta	370913	4000461058677	119,00
Pentax/ Samsung	370914	4000461058684	119,00
Olympus / Panasonic	370915	4000461058691	119,00

D 320 C Universal Zoom Flash

Item No	EAN13	MSRP €
370202	4000461039065	69,90

RS Transceiver Kit

GP
A
B
C
DÖRR
Test

w/o transceiver



with transceiver

Characteristics

- Flash trigger or receiver for camera flashes and studio flashes
- Remote camera release as sender of receiver
- Wireless radio transmission covers up to 400 m
- Manual flash release via hot shoe contact
- Number of radio channels: 4 in 3 groups
- Compatible cameras: Canon, Nikon
- Compatible flashes: with Canon or Nikon mount and studio flashes
- X-Flash syncrhonization: 1/320s depending on camera type
- Power source: 2x1,5V AA batteries
- Battery lifetime: app. 400h in standy mode

Item	Item No	EAN13	MSRP €
Canon RS Kit (2 devices)	371560	4000461066146	189,00
Nikon RS Kit (2 devices)	371565	4000461066160	189,00
Canon (single device)	371561	4000461066153	94,50
Nikon (single device)	371566	4000461066177	94,50

Note

The transceiver kit components cannot be used as single device. However, the kit can be expanded by additional devices for manifold photographic tasks.

Flash Accessories

Square- Softbox with Accessories, TTL Flash Cable

Square Softbox Kit 40x40 cm

Characteristics

The mobile softbox 40x40cm is perfect for portraits where soft illumination and floating shadows are desired.

- Set-up is ready in a minute – ideal for wedding or report photography
- Bowens mount allows to add light formers with original Bowens mount or DÖRR light formers with Bowens adapter
- Tilt angle at the softbox holder variably adjustable
- Suits light stands or regular tripods (optional adapter) and all computer flashes (optional adapter required for Sony flashes)
- Kit comprises: Softbox 40x40cm, adapter ring, holder with Bowens Mount

Item No	EAN13	MSRP €
372395	4000461062513	109,00

Digital Imaging 02/12: “So the photographer can achieve an image appearance which so far was available only with the use of professional studio flash equipment.”



Flash Holder

Characteristics

- Allows laterial flash positioning for three dimensional effects
- Supplied with holder for diffuser umbrellas
- Suits light stands or regular tripods (optional adapter) and all computer flashes (optional adapter required for Sony flashes)

Item No	EAN13	MSRP €
370899	4000461041075	29,90

UR-32T Reflection Umbrella diffuse

Characteristics

Ideal for attractive portraits illuminated with your camera flash. The umbrella is simply mounted into the flash holder (item 370899). The umbrella can be folded for transportation and storage.

Item No	EAN13	MSRP €
372505	4000461014659	35,00

Spigot Tripod Adapter

Characteristics

Both the square softbox and the flash holder are fitted with a mount for studio light stands. Using the spigot, they can be added to regular tripods with ¼“ mount.

Item No	EAN13	MSRP €
373610	4000461027192	9,90

Universal Soft Reflector 41cm / Honeycomb

Characteristics

Ideal for portrait photography. Creates a circle round reflection in your object’s eyes. The supplied cover softens the light. Can be combined with square softbox using the optional Bowens adapter. Optional: Direct Circular Honeycomb plugged on the soft reflector, the light characteristics will change to more hard, strongly directed light.

Item	Item No	EAN13	MSRP €
Soft Reflector	372800	4000461043093	109,00
Honeycomb	372816	4000461048425	79,00
Bowens Adapter	372960	4000461043130	24,90

TTL Flash Cable

Characteristics

Ideal for distant flash use. Transmits full TTL flash control functions. Available for many popular camera brands. 2 Cable Types at choice:

- Spiral cable, extended length 1,4m

For	Item No	EAN13	MSRP €
Canon	371150	4000461047299	59,00
Nikon	371151	4000461047305	59,00
Sony/ Min	371152	4000461047312	59,00
Pen/ Sams	371153	4000461047329	59,00
Olym / Pan	371154	4000461047336	59,00

- Cable (regular), length 5,50m

For	Item No	EAN13	MSRP €
Canon	371156	4000461069147	59,00
Nikon	371157	4000461069154	59,00
Sony	371158	4000461069161	59,00

Flash Accessories

Mini Softbox, Diffusers

Mini Octagon Softbox



Characteristics

Soft light where ever needed. The handy Mini Octagon Softbox suits all speedlites and provides a conveniently soft and diffuse illumination. The inner silver layer avoids the loss of light. Especially for portraits the advantages are obvious: harmonious skin tones without wrinkles or harsh shadows.
Mounting at ease: Slip the softbox over your flash and close the Velcro and flexible strap.

Item No	EAN13	MSRP €
372355	4000461062100	29,90

Flash Soft Bouncer



Characteristics

Plugged onto the flash head, the Flash Soft Bouncer provides a diffuse and soft portrait illumination. Also well suited for people photography from a close distance.

- Available in 3 sizes for numerous flashes
  S: 60x37 mm, **M**: 60x40 mm, **L**: 65x44 mm

Item	Item No	EAN13	MSRP €
S	371140	4000461047343	19,90
M	371141	4000461047350	19,90
L	371142	4000461047367	19,90

Note

For compatibility information of our Soft Diffusers PRO and Flash Soft Bouncers, visit www.doerrfoto.de.

SLR Soft Diffuser PRO



DigitalPHOTO
WINNER
12 | 2009 Dörr Photo Lambency Shade

Digital Photo 12/09:
“WINNER“

Chip Foto Video 05/09:
“the soft diffuser spreads the light softly all over the area“

Characteristics

The diffuser is simply plugged onto the flash head.

- Reduces reflections and harsh shadows
- Creates harmonic, soft illumination
- Avoids red-eye effect and overexposure
- Available in 4 sizes: **Pro 1**: 62x36 mm, **Pro 2**: 65x43 mm, **Pro 3**: 60x39 mm, **Pro 4**: 72x43 mm
- Color Filter Kit (yellow, orange, blue) optionally available

Item	Item No	EAN13	MSRP €
Pro 1	372190	4000461042836	24,90
Pro 2	372191	4000461042843	24,90
Pro 3	372192	4000461042850	24,90
Pro 4	372193	4000461042867	24,90

Color Filter Kit for Soft Diffuser PRO



Item No	EAN13	MSRP €
372194	4000461046551	9,90



Filter orange



Filter blue



Filter yellow

GoFlash System

Computer flashes are getting more and more powerful, many of them offer a wireless remote control. Nevertheless the light they provide is extremely harsh and directed in comparison to studio flash light. GoFlash upgrades your flash for unimagined options. Select the GoFlash adapter that suits your camera flash and choose the desired GoFlash light formers and rely on your own creativity.





GoFlash Adapter

Characteristics

As a basic element the adapter, suitable for your flash, makes your flash ready to mount the GoFlash light formers.

- **GoFlash Adapter 1** (Interior: 3,68x6,04 cm): for Nikon SB-600 & SB 800, Olympus FL-36R
- **GoFlash Adapter 2** (Interior: 4,34x6,24 cm): for Canon 320EX/430EX/EXII, Nikon SB700, DÖRR DAF-42, Metz 44AF-1, 50AF-1 & 58AF-2
- **GoFlash Adapter 3** (Interior: 3,87x5,91 cm): for Sony F56AM & Nikon SB-26/27/28
- **GoFlash Adapter 5** (Interior: 5,52x7,96 cm): for Vivitar 285HV
- **GoFlash Adapter 6** (Interior: 4,92x7,04 cm): for Nikon SB-900/ SB-910, Nissin Di822, Di622/622MkII
- **GoFlash Adapter 7** (Interior: 4,55x7,16 cm): for Canon 580EX/ 580EX II, Metz 48 AF-1 / 58 AF-1, Olympus FL-50R, Sigma EF-530DG ST, NissinDi622

Item	Item No	EAN13	MSRP €
GoFlash Adapter 1	372378	4000461051272	11,90
GoFlash Adapter 2	372379	4000461051289	11,90
GoFlash Adapter 3	372384	4000461051333	11,90
GoFlash Adapter 5	372381	4000461051302	12,90
GoFlash Adapter 6	372382	4000461051319	11,90
GoFlash Adapter 7	372383	4000461051326	11,90

GoFlash Softbox

Characteristics

Softbox comes with white lining for an extremely soft and even light and a high light output, similar to diffuse daylight. Ideal for portrait, nude, beauty, glamour and product photography.

- Flash area: 29,5 x 19,5cm

Color	Item No	EAN13	MSRP €
white	372373	4000461051227	29,90
silver	372374	4000461051234	29,90

GoFlash Filter Set 6 Colors for Softbox

Characteristics

For more liveliness in your pictures. If you adapt the white balance setting of your camera to the color filter, the object will be of neutral color, while the background color will be distorted.

Item No	EAN13	MSRP €
372377	4000461051265	14,90


Softbox white


Filter yellow


Filter green


Filter blue

GoFlash System



GoFlash Mini Reflector

Characteristics

Provides a soft illumination, but slightly more harsh than using a softbox. The soft reflector creates a natural circle round reflection in your object's eye. Well suited for beauty and portrait photography.

- Front diameter 17cm.

Item No	EAN13	MSRP €
372370	4000461051197	29,90



GoFlash Globe Diffuser

Characteristics

The globe diffuser provides a diffuse and soft illumination. The light is evenly distributed. Ideal for indoor photography, portraits and groups.

- Diameter app. 14,5cm

Item No	EAN13	MSRP €
372371	4000461203	39,90



GoFlash Honeycomb

Characteristics

Creates directed light, ideal for dramatic portrait sceneries or background light.

- Reduces stray light
- Enhances contrast and brilliance
- Diameter 10cm

Item No	EAN13	MSRP €
372372	4000461051210	29,90



with Soft Reflector



with Globe Diffuser



with Honeycomb



GoFlash Barn Door

Characteristics

Creates a harsh light of high brilliance. The free rotation allows direction of the light beam to a selected area. Best for product photography and all objects that require a a clearly determined lit area.

Item No	EAN13	MSRP €
372375	4000461051241	29,90



GoFlash Conical Snoot

Characteristics

- Strongly directed light
- Well suited for hair and face
- Creates background effects, especially for portraits,
- 2 honeycombs, wide and fine for a clearer scope of the light circle
- Inner diameter app. 5cm

Item No	EAN13	MSRP €
372376	4000461051258	39,90



with Barn Door



with Conical Snoot

Note

View the GoFlash System on:
http://www.youtube.com/watch?v=qvOsVj5Ua4o

Flash Brackets

The larger the distance between the flash and the lens axis, the lower the risk of red-eye effect. You can avoid this effect by using a flash bracket. Due to the larger distance, the illumination of the object is more natural. In case of vertical shots you can avoid moving shadows by an unchanged flash position while the camera moves.



Bracket Pro Mini 270

Characteristics

Can be folded and fits into every photo bag.

Item No	EAN13	MSRP €
372289	4000461056345	49,90



DB-900 Flash Bracket

Characteristics

- Padded grip
- Camera can be turned by 90° for horizontal shots
- Flash rail rotates by 180°

Item No	EAN13	MSRP €
372286	4000461048456	69,00



Bracket Pro 100

Characteristics

- Padded grip
- Flash rail rotates by 180°

Item No	EAN13	MSRP €
372288	4000461056338	119,00



Bracket Pro Flip 90

Characteristics

- Padded grip
- Camera can be turned by 90° for horizontal shots

Item No	EAN13	MSRP €
372287	4000461056321	189,00



BK-C Flash Bracket

Characteristics

- Versatile and handy
- The flash can be positioned flexibly.
- Vertical shots possible.

Item No	EAN13	MSRP €
371118	4000461053948	19,90



BK 100 Accessory Rail

Characteristics

- Rail with standard flash shoe for distant flash use
- Camera socket ¼“

Item No	EAN13	MSRP €
371117	4000461027284	24,90

BK 160 Accessory Rail

Characteristics

Flash and accessory rail with standard flash shoe.

Item No	EAN13	MSRP €
371116	4000461051623	9,90

Power Pack HC 2000

Characteristics

Power Pack pack HC 2000 is an ideal energy source for outdoor use. It reduces the recycling time of your computer flash. A suitable cable is required for operation (optional).

- Suits the following flashes: Canon 600 EXRT, 580EXII, Nikon SB900, SB910, Sony F58AM, Metz
- Battery: 9.6V/2000mAh NiMH battery
- Flash recycling time: app. 1 s (full power ratio)
- Number of flash releases: app. 500x (full power ratio)
- Measurements: 147x104x44.3 mm, Weight: 490 g

Item No	EAN13	MSRP €
372340	4000461067112	169,00

Power Pack Cables

Characteristics

Spiral cable to connect your camera to the power pack. Length 70cm/110cm extended.

Model	Item No	EAN13	MSRP €
Canon	372341	4000461067129	24,90
Nikon	372342	4000461067136	24,90
Sony	372343	4000461067143	24,90
Metz	372344	4000461067150	24,90
USB	372345	4000461067167	7,90

FLP 56 Flash and LED Light

Characteristics

Compact and powerful flash with LED light – perfect for both outdoor and studio photography. Well suited for portrait, beauty, event and product photography. LCD flash function control.

- Guide no. 50 at ISO 100
- LED Output: modeling lamp: 3 watts; video lights: 18 watts
- Color temperature 5000K
- Flash duration: 1/800s to 1/1500s
- Wireless trigger range: max. 30m
- Mount: Metal hot shoe, light stand mount
- Power source: 4x 1,5V AA batteries, rechargeable Li-Ion battery or AC Adapter (all optional)
- Measurements: app. 15x10x12cm, weight: 513 g
- Kit comprises: FLP 56 Flash, barn door, tungsten light filter, wireless transmitter, adapter for studio light stand, case.

Item	Item No	EAN13	MSRP €
FLP 56 Flash with LED Light	371042	4000461065804	279,00
NP550 Battery for FLP 56	371043	4000461065828	22,50
AC Adapter for FLP 56	371044	4000461065835	45,00

NP550 Battery for FLP 56 (optional)

LED Video Light

LED 170 Xtra 1200 Lux Video Light

Characteristics

Ideal for all cameras and camcorders with standard flash shoe. Creates a permanent and even light for filming, taking pictures or viewing objects.

- Light source: 170 ultra bright LEDs
- Light intensity: app. 1200 Lux/1m at full power ratio
- Color temperature: 5.400 K (daylight)
- Brightness dimmer from 10 – 100 %
- LED lifetime: app. 50.000 h
- Adjustable mount for flexible tilt angle position
- Power source: 6x 1,5V AA battery or rechargeable Li-Ion battery (Panasonic CGR-D16S, Sony NP-FH70, NP-FM55H, NP-FM500H oder NP-F550), or AC adapter (all optional)
- 4 LEDs to control battery status
- Measurements: app. 141x58x150 mm, weight: app. 240g (w/o batteries)
- Supplied with: white diffuser for soft light, yellow diffuser for artificial light (3.200 K), minus green filter, 2 battery holders

Item	Item No	EAN13	MSRP €
Video Light 170 Xtra	371037	4000461063138	179,00
AC Adapter for LED 170/126 Series	371049	4000461060342	29,90

LED 126 Ultra Video Light

Characteristics

Ideal for all cameras and camcorders with standard flash shoe. Creates a permanent and even light for filming, taking pictures or viewing objects.

- Light source: 126 ultra bright LEDs
- Light intensity: app. 950 Lux/1m at full power ratio
- Color temperature: 5.400 K (daylight)
- Brightness dimmer from 10 – 100 %
- LED lifetime: app. 50.000 h
- Mount can be adjusted twice for flexible tilt angle position
- Power source: 6x 1,5V AA battery or rechargeable Li-Ion battery (Panasonic CGR-D16S, Sony NP-FH70, NP-FM55H, NP-FM500H oder NP-F550), or AC adapter (all optional)
- 4 LEDs to control battery status
- Measurements: app. 141x58x150 mm, weight: app. 240g (w/o batteries)
- Supplied with: white diffuser for soft light, yellow diffuser for artificial light (3.200 K), minus green filter, 2 battery holders

Item No	EAN13	MSRP €
371045	4000461057380	99,00

Press Comments & Awards

Foto Magazin 07/11: “The DÖRR panel light is an interesting offer.“
CE & Trade 05/11: “Best for taking pictures and videos…”

Color filters and diffusers are supplied with LED 170 Xtra and LED 126 Ultra video light models.

AA battery compartment

Li-Ion battery compartment

Dimmer Mod. 170Xtra

Diffuser yellow

Minus green filter

Diffuser white

DÖRR

LED Video Light

LED Video Lights / Flash Hot Shoe Adapters





LED VL120 Video Light

Characteristics

Inexpensive video light for beginners – ideal for filming with compact digicams or camcorders with or without flash shoe.

- 120 LEDs ensure even illumination
- Light intensity: app. 500 Lux/1m
- Color temperature: app. 5.600 K (daylight)
- Color filter for warmer light tones (artificial light) included
- Mounts to the camera flash shoe or by using the supplied rail with ¼“ screw, provided the camera features a tripod socket)
- Power source: 4x 1,5V AA batteries

Item No	EAN13	MSRP €
371055	4000461060489	89,00

LED VL120 Plus Video Light

Characteristics

For more intensive use, this video light can be operated with a rechargeable battery.

- 120 LEDs ensure even illumination
- Light intensity: app. 500 Lux/1m
- Color temperature: app. 5.600 K (daylight)
- Brightness control with dimmer
- Color filter for warmer light tones (artificial light) included
- Mounts to the camera flash shoe or by using the supplied rail with ¼“ screw, provided the camera features a tripod socket)
- Integrated Polymer battery 3,7V/3Ah
- Charger included
- 4 LEDs to control battery status

Item No	EAN13	MSRP €
371056	4000461060496	99,00





Flash Hot Shoe Adapter Kit for SONY Camcorders

Characteristics

Practicale accessory support for camera w/o flash hotshoe or when the hotshoe is already in use. Most recommended for video lights for filming. Comes with adapter for SONY camcorders.

Item No	EAN13	MSRP €
371090	4000461057915	24,90

Flash Hot Shoe Adapter Kit for CANON Camcorders

Characteristics

Practicale accessory support for camera w/o flash hotshoe or when the hotshoe is already in use. Most recommended for video lights for filming. Comes with adapter for CANON camcorders.

Item No	EAN13	MSRP €
371091	4000461065743	24,90

The latest DSLR and mirrorless cameras are fitted with professional HD video recording technique. You can enjoy filming at a maximum with adequate accessories. For mobile use, video stabilizers and grips ensure smooth filming sequences with a perfectly balanced camera.



Flycam Video Stabilizer

Characteristics

The Flycam offers light, agile, seamless shooting for todays videographer. The hand-held Flycam being ultra-light and ultra compact, allows you to keep up with the action more easily than ever. The sturdy Flycam moves smoothly.

- Grip with ball and socket joint for permanent balance
- A number of counterweights can be attached flexibly for best balance

Item No	EAN13	MSRP €
395000	4000461057465	219,00



RIG Shoulder Support with Quick-Release Plate

Characteristics

Light weight shoulder support – ideal for DSLR cameras and smaller camcorders with accessories.

- Adjustable chest support
- Quick-release plate
- Neck strap
- Accessory rail

Item No	EAN13	MSRP €
395026	4000461057533	109,00



Quick-Release Plate

Characteristics

Additional quick-release plate suitable for Flycam und RIG shoulder support. Rubberized camera surface, ¼″ camera mount.

Item No	EAN13	MSRP €
395001	4000461065781	59,90

Video Grip 200

Characteristics

Extremely light weight and compact grip, ideal for taking shots and films from above the head. It also stabilizes the camera for video sequences.

- Can be extended up to 20 cm
- Top level ¼"camera mount, lower end 3/8" tripod mount – can be used to extend a tripod.

Item No	EAN13	MSRP €
395062	4000461058769	46,00



Fishbone Video Stabilizer XTA-300

Characteristics

The stabilizer allows comfortable video shooting from below the waist, floor-level, or low-angle.

- Rubber grip with integrated mounting shoe for video lights or microphones
- The second handle adjusts the height or can be used as a shoulder rest, or for 360° rotating effects.
- Maximum load 3kg

Item No	EAN13	MSRP €
395010	4000461057922	139,00

Spider Video Shoulder Rig



Characteristics

The shoulder rig flexibly adjusts to many useful positions and allows to fix accessories. The spider can be combined with a monopod or a tripod for an even wider scope of usage. For transportation it can be folded to save space. The flexible video shoulder rig is well suited for DSLR filming, or can be combined with mirror less cameras or camcorders. The optional support rod with suspension provides extra stability and grants smooth and balanced moves.

- Padded and ergonomically shaped grips
- ¼“ Accessory mount
- Support Rod optionally available

Item No	EAN13	MSRP €
395012	4000461063336	149,00



Spider folded





Hand Grip Video Slider

Characteristics

Versatile camera grip for more steady photo & video shootings. Perfect for action shots and shots made in “hard to reach” angles.

- Rubberized camera plate with adjustable ¼” camera mount
- Accessory shoe to attach flash units, video lights and microphones
- Recessed soft foam grip
- Non-slip rubber tips

Item No	EAN13	MSRP €
395060	4000461058035	49,00

Support Rod for Spider Video Shoulder Rig

Characteristics

Provides extra stability to the Spider Video Shoulder Rig. The rod is mounted with a hip belt and a support pocket on the body. The Spider is mounted with a tripod screw. The suspension at the top end of the rod grants smooth and balanced moves with your filming gear.

- 3 sections
- Length min/ max. 57-85 cm
- Hip belt can be used as a case for storage and transportation
- Supplied with support pocket and belt clip

Item No	EAN13	MSRP €
395013	4000461068010	49,00



Gear Rings

Characteristics

- Facilitates manual focusing when taking video films
- Ideal in combination with a follow-focus system
- For lenses with an outer diameter up to 116mm
- Locking screw bridges up to 10mm

Item	Item No	EAN13	MSRP €
D6070 (Ø 60-70mm)	395100	4000461065965	13,90
D7080 (Ø 70-80mm)	395101	4000461065972	13,90
D8090 (Ø 80-90mm)	395102	4000461065989	13,90
D90100 (Ø 90-100mm)	395103	4000461065996	13,90
D100110 (Ø 100-110mm)	395104	4000461066009	13,90
D110120 (Ø 110-120mm)	395105	4000461066016	13,90

Note

We also offer follow-focus system. Contact us if you are interested.



Mic & Accessory Twin Video Holder

Characteristics

The twin holder allows the use a microphone and a video light simultaneously with a camera. The holder is fixed on the camera's flash hot shoe. Both arms of the holder boast of hot shoes to attach the accessories.

Item No	EAN13	MSRP €
395065	4000461060007	14,90

Worth to Know

DÖRR condensor microphones will improve the audio recording quality of your videos. They are spring-load mounted, avoiding shock noise. The condenser can be adjusted to minimize ambient noise. In order to adopt the recording volume to the background noise, the sound can be damped or enhanced by 10 dB. The supplied soft cover reduces wind sound effectively.



DM 220 Condenser Microphone

Characteristics

Highly sensitive condenser microphone designed for cameras and camcorders

- Sturdy aluminum housing
- Optional +10dB sensitivity tone up and 200Hz bass filter
- Frequency response: 50Hz-16KHz
- Sensitivity: -32dB +/-3dB (0dB=1V/Pa at 1 kHz)
- Sensitivity tone up: +10dB
- Bass Filter: 10dB/octave at 60Hz
- Output impedance: 2000 Ohm +/-30%
- Vibration-free mounting (spider)
- Universal flash shoe mount
- Supplied with 1x 1,5V AA battery

Item No	EAN13	MSRP €
395090	4000461068355	69,90



Super Cardioid Microphone CV03

Characteristics

Compact microphone, can be mounted on camcorders, DSLR cameras and mobile audio recorders.

- Rugged cast zinc alloy body
- Super cardioid (per capsule)
- Broadcast sound quality
- Shock mount and universal hot-shoe mount
- Dead Kitten wind screen and selectable High Pass Filter
- Powered by 9V battery (not included)

Item No	EAN13	MSRP €
395095	4000461068348	149,90

Video Accessories

Slider / Photo & Video Umbrellas

Video Camera Slider





Note

We recommend mounting the camera with a DÖRR tripod head, e.g. DÖRR PL3D. For details see page 38.

Characteristics

Video Camera Sliders allow shake and jolt free tracking shots. The camera is mounted on a carriage and smoothly slides along the rails. Depending on the camera weight, we offer two slider widths at choice: 55 or 75mm. 3 lengths are available. Supplied with carrying case.

Diameter / Width	Item No	EAN13	MSRP €
∅ 55 / 100 cm	395140	4000461066054	299,00
∅ 75 / 80 cm	395141	4000461066061	359,00
∅ 75 / 135 cm	395142	4000461066078	469,00



TELESCOPE® Handsfree Photo Umbrella

Characteristics

The handsfree umbrella for hikers comes in a compact size. It can easily be mounted at the shoulder straps and hip belt of any backpack. Both hands are free! Ideal for nature photographers or hikers who wish to use their poles also at rain. The silver colored umbrella comes with metallic coating. It can be turned round and use as a sun reflector for filmers and photographers.

- Shaft with 2 extensions, comes with 2 safety clips
- Length closed: 48 cm.
- Lightweight, flexible and extremely rugged fiber glass ribs
- Lightweight and tear resistant Polyester fabric with Teflon® treatment, highly water and dirt repellent
- Comfortable high-density EVA hard foam handle with grooves ensures a dry feeling on the handle when wet

Color	Item No	EAN13	MSRP €
black	374200	4000461069192	69,00
olive	374201	4000461069215	69,00
blue	374202	4000461069222	69,00
orange	374203	4000461069239	69,00
red	374204	4000461069246	69,00
silver	374205	4000461069253	75,00



TELESCOPE® Carrying System for Handsfree Photo Umbrella

Characteristics

The carrying system compares to the belt system or a backpack and is individually adjustable to the body size. The photo umbrella can be fastened easily at the shoulder strap, using the safety clip supplied with the umbrella and at hip belt using the little support pockets of the system. Once the system is adjusted to the personal body size, it is ready for quick use. Ideal for hikers when walking without backpacks parents with baby carriage, canoeists and everyone who needs free hands in nature at rain or heat.

- Material: 100% synthetics
- Comes with safety reflectors
- Best carrying comfort by strong padding

Item No	EAN13	MSRP €
374210	4000461069260	59,90

"A" Series Tripods



Characteristics

Inexpensive tripod series packed with features!

3 Types:
A2: 4 sections
A3 & A4: 3 sections

- Aluminium tripod legs with rubber tips and spikes
- Hook for additional weight
- Additional short column for shots close to earth
- Mount: 1/4" and 3/8" (rotatable)
- Integrated bubble level
- Foam rubber grips
- Tripod case with shoulder strap

Item	Item No	EAN13	MSRP €
Tripod A2	380022	4000461045387	69,00
Tripod A3	380023	4000461045394	79,00
Tripod A4	380024	4000461045400	99,00

"Profi" Macro Arm 24 mm



Characteristics

For macro photography it is recommended to shift the camera out of the middle axis. Diameter: 24mm – suitable for e.g. for DÖRR tripods Airpod 150, DÖRR A3 and DÖRR PS series.

Item	Item No	EAN13	MSRP €
Macro Arm 24 mm	372730	4000461035272	69,00

Specifications	Type	Measurement/ Weight
Transportation Height	A2 A3 A4	47 cm 58 cm 61 cm
Height min/max.	A2 A3 A4	44 - 141 cm 54 - 157 cm 56 - 164 cm

Specifications	Type	Measurement/ Weight
Profile- Ø	A2 A3 A4	22 mm 25 mm 28 mm
Weight	A2 A3 A4	1370 g 1630 g 1980 g

Specifications	Type	Measurement/ Weight
Max. Load	A2 A3 A4	4 kg 6 kg 8 kg
Max. Spread	A2 A3 A4	85 cm 94 cm 108 cm

"Airpod" Tripod Series

Characteristics

Lightweight Carbon tripods ready for many tasks
3 Types:
Airpod 140: 4 sections
Airpod 150 & 160: 3 sections

- Carbon tripod legs with rubber tips and spikes
- Hook for additional weight
- Additional short column for shots close to earth
- Mount: 1/4" and 3/8" (rotatable)
- Integrated bubble level
- Foam rubber grips
- Tripod case with shoulder strap

Item	Item No	EAN13	MSRP €
Airpod 140	372744	4000461045356	199,00
Airpod 150	372745	4000461045363	229,00
Airpod 160	372746	4000461045370	279,00

Note

Well suitable tripod heads for Airpod and A tripod series are shown on page 38 through 39.

Press Comments & Awards

FOTOTEST
SEHR GUT 86,6 Punkte
★★★★☆ 3/2012
HIGHLIGHT

Fototest 03/12 **Airpod 150:**
Test result: **"EXCELLENT"**
Range 4: "The cheapest tripod in test is set up quickly."
…" The DÖRR Airpod 150 boasts of an excellent vibration behaviour. […] The vibration surface needs no interpretation, it is simply correct."

DigitalPHOTO
GOOD VALUE
05|2011 Dörr Airpod 160

DigitalPHOTO 05/11: **Airpod 160:**
Test result: **"GOOD VALUE"**
The lightweight tripod is good company on trips."

FOTOTEST
SEHR GUT 84,6 Punkte
★★★★☆ 2/2011

Fototest 02/11: **Airpod 160:**
Test result: **"EXCELLENT"**
An all-around convincing tripod with excellent price quality ratio. "

…"Fantastically short set-up time of 8 seconds only and perfect vibration result. Even the vibration surface satisfies with the second best valuation."

Specifications	Type	Measurement/ Weight
Transportation Height	140	47 cm
	150	58 cm
	160	61 cm
Height min/max.	140	44 - 141 cm
	150	54 - 157 cm
	160	56 - 164 cm

Specifications	Type	Measurement/ Weight
Profile- Ø	140	22 mm
	150	25 mm
	160	28 mm
Weight	140	1180 g
	150	1380 g
	160	1680 g

Specifications	Type	Measurement/ Weight
Max. Load	140	4 kg
	150	6 kg
	160	8 kg
Max. Spread	140	85 cm
	150	94 cm
	160	108 cm

"Profi" Tripod Series

Characteristics

Solid construction comes in compact design.

- 3 section tripod legs with rubbder trips and spikes
- Tripod legs can be spread in steps
- The top and lower end of the center column featues a 3/8" mount, so the tripod is well suited for macro photography
- Supplied with case

Item	Item No	EAN13	MSRP €
Profi PS 14	372714	4000461021930	75,00
Profi PS 15	372715	4000461021947	119,00

Press Comments & Awards

COLORFOTO
GOOD VALUE
Preis/Leistung 3/2006

Colorfoto 06/2006 for **PS 15**
"**GOOD VALUE**"
"Practical allround tripod at a fair price."

FOTO-VIDEO DIGITAL
GOOD VALUE
08/2005 CHIP

Chip Foto Video 08/2005 for **PS 15:**
"**GOOD VALUE**"

Digital Photo 06/10 for **PS 15:**
"The silver coloring of Profi PS 15 makes a visual difference to the competitors' products"

"Profi PSM 250" Tripod

Characteristics

5 section tripod made of a magnesium blend. The perfect solution for all-round photographers. Spectacular height, rotatable center column with 3/8" mount, tripod legs can be spread widely for close to earth shots (min distance 31,5cm). Foam rubber grips on two legs, rubber tips with spikes. Supplied with well padded case with shoulder strap.

Item	Item No	EAN13	MSRP €
Profi PSM 250	372727	4000461035241	299,00

Press Comments & Awards

PHOTOGRAPHIE
GOOD VALUE
12/2006

Photographie 12/2006: "**GOOD VALUE**"
"... new Magnesium tripod for professional studio photography."

Specifications	Type	Measurement/ Weight
Transportation Height	14 15 PSM	62 cm 65 cm 83 cm
Height min/max.	14 15 PSM	57 - 140 cm 58 - 152 cm 77 - 250 cm

Specifications	Type	Measurement/ Weight
Profile- Ø	14 15 PSM	26 mm 30 mm 32 mm
Weight	14 15 PSM	2270 g 2835 g 2800 g

Specifications	Type	Measurement/ Weight
Max. Load	14 15 PSM	5 kg 7 kg 10 kg
Max. Spread	14 15 PSM	97 cm 99 cm 201 cm

"Pro Black" Tripod Series



Characteristics

A sturdy tripod assists in taking pictures with perfect sharpness. The most wanted features of a tripod are: sturdiness, easy set-up, long-lasting and lightweight. The PRO Black tripod series combines these features.

4 Types:
Pro Black 0 & 1: 4 sections, center column can be split in two parts, ball head with quick-release shoe and ¼" camera mount
Pro Black 2 & 3XL: 3 sections, pan & tilt head for horizotal and vertical shots with quick-release shoe and ¼" camra mount

- Tripod legs with rubber tips, spikes and one-touch leg locks
- The tilt angle can be changed in three steps for macro shots
- Rubber foam grips allow comfortable use even at cold temperatures
- Pan & tilt ball head with integrated bubble level
- Supplied with case

Item	Item No	EAN13	MSRP €
Pro Black 0	380151	4000461056222	69,90
Pro Black 1	380150	4000461054556	89,00
Pro Black 2	372748	4000461054518	119,00
Pro Black 3XL	372755	4000461059056	159,00

Press Comments & Awards

DigitalPHOTO 07/2012 **for ProBlack 3XL**
"The DÖRR Pro Black 3XL is of solid workmanship and offers main functionality. It is interesting for photographers who do not need to carry their gear for a long distance."

Spare Quick- Release Shoes

Additional quick-release shoes are available for the PRO Black tripod series.

Suits	Item No	EAN13	MSRP €
Pro Black 0	380156	4000461060274	15,00
Pro Black 1	380157	4000461060281	12,00
Pro Black 2	386154	4000461050794	12,00
Pro Black 3XL	372756	4000461061264	12,00

Specifications	Type	Measurement/ Weight
Transportation Height	0	50 cm
	1	54 cm
	2	70 cm
	3XL	83 cm
Height min/max.	0	48 - 132 cm
	1	52 - 155 cm
	2	56 - 162 cm
	3XL	57 - 193 cm

Specifications	Type	Measurement/ Weight
Profile- Ø	0	20 mm
	1	22 mm
	2	28 mm
	3XL	28 mm
Weight	0	840 g
	1	1440 g
	2	2130 g
	3XL	2680 g

Specifications	Type	Measurement/ Weight
Max. Load	0	2,5 kg
	1	2,5 kg
	2	3 kg
	3XL	5 kg
Max. Spread	0	80 - 222 cm
	1	74 - 219 cm
	2	95 - 224 cm
	3XL	113 - 275 cm

Tripod Heads



DB 20 Ball Head

Characteristics

3D Ball head with quick-release shoe. Extra quick-release shoes are available. Tripod mount 3/8“ and 1/4“, with bubble level.

- Weight: 118 g
- Max. load: 2 kg
- Diameter: 20 mm
- Height: 100 mm
- Camera mount 1/4“

Item No	EAN13	MSRP €
386120	4000461047886	39,00



DB 22 Ball Head

Characteristics

3D Ball head with quick-release shoe. Extra quick-release shoes are available. Tripod mount 3/8“ and 1/4“, with bubble level.

- Weight: 360 g
- Max. load: 3 kg
- Diameter: 22 mm
- Height: 100 mm
- Camera mount 1/4“

Item No	EAN13	MSRP €
380155	4000461056680	39,00



HB 36 Heavy Ball

Characteristics

3D Ball head with quick-release shoe and 360° panorama setting. Extra quick-release shoes are available. Tripod mount 3/8“ and 1/4“.

- Weight: 460 g
- Max. load: 6 kg
- Diameter: 36 mm
- Height: 95 mm
- Camera mount 1/4“

Item No	EAN13	MSRP €
386136	4000461045431	89,00



PL 32 Ball Head

Characteristics

3D Ball head with panorama plate. Additional plates optionally available. With bubble level.

- Weight: 735 g
- Max. load: 4 kg
- Diameter: 32 mm
- Height: 115 mm
- Camera mount 1/4“

Item No	EAN13	MSRP €
372720	4000461021954	49,00



PL-3D Profi Tripod Head

Characteristics

3-way Pan Head. Additional quick-release shoes available. Fitted with 3/8“ tripod mount and bubble level. Grip can be extended to 12 cm length.

- Weight: 930 g
- Max. load: 4 kg
- Height: 130 mm
- Camera mount 1/4“

Item No	EAN13	MSRP €
372721	4000461021961	59,90

Press Comments & Awards

FOTOTEST SEHR GUT 80,6 Punkte 4/2012 HIGHLIGHT

Fototest 04/2012: **EXCELLENT**
“Compact tripod head in retro design with fabulous price quality ratio.”
“It is hard to find this quality level at such a low price.”



A Head 3D Tripod Head

Characteristics

Functional 3D tripod head with quick-release shoe. Extra quick-releases available. With quick-release function and friction control. Adjustable in 2 positions. With bubble level.

- Weight: 780 g
- Max. load: 6 kg
- Height: 140 mm
- Camera mount 1/4“

Item No	EAN13	MSRP €
386131	4000461046629	49,00

Tripod Heads

DÖRR
Heavy Ball 45
COLORFOTO
GOOD VALUE
Preis/Leistung 9/2012

ColorFoto 09/12

HB 45 Heavy Ball

Characteristics

3D Ball head with quick-release shoe and 360° panorama setting. Additional quick-releases optionally available. Tripod mount for 3/8“ and 1/4“.

- Weight: 620 g
- Max. load: 10 kg
- Diameter: 45 mm
- Height: 110 mm
- Camera mount 1/4“

Item No	EAN13	MSRP €
386145	4000461045448	99,00

Foto Praxis 12/09: “The DÖRR HB-45 Ball Head is a larger version and well suited for cameras combined with telephoto lenses.“

Fluid Style 3D Panhead

Characteristics

Modern and smooth 3-way panhead with quick-release shoe. Extra quick-releases optionally available. For horizontal and vertical shots. Tilt angle variably adjustable. Fitted with bubble level.

- Weight: 380 g
- Max. load: 6 kg
- Height: 85 mm
- Camera mount 1/4“

Item No	EAN13	MSRP €
372733	4000461050336	49,90

Press Comments & Awards

DigitalPHOTO 03/2012
“Head for beginners“ ... “In view of the price, this head is great for beginners.”

PL 28 Panorama Head

Characteristics

3D ball head with quick-release shoe. Additional quick-releases are optionally available. With 360° panorama setting and bubble level.

- Weight: 600 g
- Max. load: 3 kg
- Diameter: 28 mm
- Height: 105 mm
- Camera mount 1/4“

Item No	EAN13	MSRP €
372719	4000461024115	55,00

Mag Mount 2D - Soft Head

Characteristics

Tripod head with Mag Mount quick-release plate for firm support. Firm camera support even for vertical shots.

- Weight: 300g
- Max. load: 2,2 kg
- Width: 62 mm
- Height: 76 mm
- Handle Length: 163 mm

Item No	EAN13	MSRP €
380482	4000461047015	89,00

Take & Shoot Tripod Head for fast Shots

Characteristics

Highly flexible fast shotting tripod head comes with friction control and Grip for tightening and loosening the head. Supplied with two quick-release shoes ¼“. Flexible use in 2 base positions.

- Weight: 630 g
- Max. load: 3 kg
- Height: 140 mm
- Camera mount 1/4“

Item No	EAN13	MSRP €
373505	4000461045462	89,00

Spare Quick-Release Shoes

Do you own more than one camera or lenses with tripod clamp? If yes, it will make sens to attach one quick-release shoe to every tripod mount. So you can react more flexibly and faster – the required gear is quickly mounted on the tripod. The additional quick-release also serves as spare ones.

Suits	Item No	EAN13	MSRP €
DB 20	386125	4000461056697	9,90
DB 22	386126	4000461060519	12,90
HB 36/45	386150	4000461048036	19,90
PL-28/ML32P	372739	4000461049064	19,90
PL 32 / PL 3D	372740	4000461021992	19,90
A Head 3D	386151	4000461048067	15,90
Fluid Style 3D	386154	4000461050794	12,00
Take & Shoot	386152	4000461048715	19,90

“HD“ Tripod Series



Characteristics

Rugged tripods for photographers and video filmers.

4 Types:

HD 202: 2 sections

HD 303+: Tilt angle can be adjusted in 2 steps, 2 sections

HD 606V & HD 808V: 3 sections, center column can be used separately as a monopod, spikes, supplied with case

- 3way panheads for horizontal and vertical shots, quick-release shoe with ¼“ camera mount, bubble level and rubber tips

Item	Item No	EAN13	MSRP €
HD 202	380220	4000461045349	29,90
HD 303+ Pocket Tripod	380303	4000461052132	44,90
HD 606 V	380266	4000461045417	79,00
HD 808 V	380288	4000461045424	99,00
Quick Release Plate 606/808 V	380286	4000461048050	15,90

Specifications	Type	Measurement/ Weight
Transportation Height	202	38 cm
	303 +	36 cm
	606 V	61 cm
	808 V	70 cm
Height min/max.	202	37 - 136 cm
	303 +	38 - 143 cm
	606 V	59 - 163 cm
	808 V	67 - 188 cm

Specifications	Type	Measurement/ Weight
Profile- Ø	202	20 mm
	303 +	22 mm
	606 V	25 mm
	808 V	28 mm
Weight	202	740 g
	303 +	1004 g
	606 V	1960 g
	808 V	2820 g

Specifications	Type	Measurement/ Weight
Max. Load	202	1,8 kg
	303 +	2,8 kg
	606 V	4 kg
	808 V	5 kg
Max. Spread	202	80 cm
	303 +	194 cm
	606 V	86 cm
	808 V	145 cm

Photo & Video Tripods







Little Joe – Photo & Video Tripod

Characteristics

3 sections, one-touch leg locks, rubber tips and height adjustment crank. 3way panhead with bubble level, and quick-release plate ¼″ camera mount. For horizontal and vertical shots. Supplied with case.

Item No	EAN13	MSRP €
372750	4000461056239	19,90

Additional Quick-Release Plate for Little Joe

372751	4000461060373	6,90

Friend III – Photo & Video Tripod

Characteristics

3 sections, one-touch leg locks, rubber tips and height adjustment crank. 3way panhead with bubble level, and quick-release plate ¼″ camera mount. For horizontal and vertical shots. Supplied with case.

Item No	EAN13	MSRP €
380063	4000461025549	29,90

King Tripod

Characteristics

3 sections, one-touch leg locks, rubber tips and height adjustment crank. 3way panhead with bubble level, and quick-release plate ¼″ camera mount. For horizontal and vertical shots. Supplied with case.

Item No	EAN13	MSRP €
380056	4000461025556	59,00

Specifications	Type	Measurement/ Weight
Transportation Height	Little Joe Friend King	49 cm 57 cm 64 cm
Height min/max.	Little Joe Friend King	46,5 - 122 cm 53 - 151 cm 61 - 170 cm

Specifications	Type	Measurement/ Weight
Profile- Ø	Little Joe Friend King	20 mm 22 mm 23 mm
Weight	Little Joe Friend King	700 g 1115 g 1600 g

Specifications	Type	Measurement/ Weight
Max. Load	Little Joe Friend King	2,5 kg 2,8 kg 4 kg
Max. Spread	Little Joe Friend King	70 cm 100 cm 98 cm



HK-2000 Tripod

Characteristics

Sturdy and extremely short 3 section tripod, comes with one-touch leg locks, rubber tips and center column friction control. Panhead with ¼" camera mount and bubble level. For horizontal and vertical shots. Supplied with case.

Item No	EAN13	MSRP €
380301	4000461005930	39,90



TOP Tripod

Characteristics

4 sections, one-touch leg locks, rubber tips. Designed for use with small DSLR camera, mirrorless and bridge cameras. Flexibly spreadable legs. Panhead with variable setting for vertical and horizontal shots. Quick-release shoe ¼" and bubble level. Supplied with case.

Item No	EAN13	MSRP €
380033	4000461031854	49,90



Hercules Tripod

Characteristics

4 section, one-touch leg locks, rubber tips and height adjustment crank. 3way panhead with bubble level, and quick-release plate ¼" camera mount. For horizontal and vertical shots. Supplied with case and accessory net, which can also be used to create extra weight.

Item No	EAN13	MSRP €
380045	4000461019456	49,00



Specifications	Type	Measurement/ Weight
Transportation Height	HK 2000	32 cm
	Top	45 cm
	Hercules	47 cm
Height min/max.	HK 2000	29 - 68 cm
	Top	43 - 145 cm
	Hercules	43 - 150 cm

Specifications	Type	Measurement/ Weight
Profile- Ø	HK 2000	20 mm
	Top	20 mm
	Hercules	20 mm
Weight	HK 2000	730 g
	Top	1020 g
	Hercules	1200 g

Specifications	Type	Measurement/ Weight
Max. Load	HK 2000	2 kg
	Top	2,5 kg
	Hercules	3 kg
Max. Spread	HK 2000	40 cm
	Top	188 cm
	Hercules	95 cm

Tripod Accessories

Panamatic Plus Panorama


PANAMATIC
www.panamatic.com
Patent D508,422
0
90
180
270

Characteristics

Creates fantastic seamless panorama pictures for up to 360°. Bubble level for quick adjustment. Turns regular lens into a super wide angle lens.

- 360° Index wheel – takes up to 12 pictures
- 1/4" Tripod mount
- Includes CD Panorama Maker 3.5 stitching software by ArcSoft multi-language (Full Version)

Item No	EAN13	MSRP €
380055	7762930170002	29,90

Note

DÖRR offers a wide selection of photographic book titles in German language. For details ask your local representative.

EDITION COLORFOTO
Profibuch
Panorama-Fotografie
FRANZIS


Canon EOS 1100D
Galileo Design

Perfekte Porträtfotos im Studio
Galileo Design

Bubble Level



Characteristics

To be connected on the camera´s flash shoe or accessory shoe of camcorders. Comfortable way to balance your camera.

Item No	EAN13	MSRP €
101025	4000461037849	22,90

Lens & Rifle Rest



Characteristics

Lens & rifle rest avoids blurred images. Comes with ¼" tripod mount.

Item No	EAN13	MSRP €
380425	4000461047008	9,99

Note

For safe storage and transportation of your tripod, DÖRR offers a variety of tripod cases. Ask your local specializing dealer or ask for our DÖRR Photo Bag Catalogue.

Photographers need to react spontaneously since some objects are quickly gone. The sensational Mag Mount quick release system is of great help! The Mag Mount base plate is mounted to the camera’s tripod socket. Now the camera is mounted on a Mag Mount Pod within seconds. The magnetic system holds the camera firmly and allows fast changes. Even SLR cameras are hold firmly with an additional safety clip. Choose your favorite Mag Mount tripod and accessories and enjoy the full advantages of a magnetic mounting system.



T`Pod & T`Pod II

Characteristics

Extremely sturdy tripod, variably adjustable. Versatile table pod with additional extension column. Table pod can be used separately. Ball head and extension column can also be attached to other tripod. Many optional accessories available. Supplied with practical case
T`Pod II identical with T´Pod.

- Weight: 380 g
- Height min/max: 24,5 - 33,5 cm

Item No	EAN13	MSRP €
380491	689076067416	79,00
380481	4000461037269	79,00



Optera 230 Macro- & Travel Pod

Characteristics

Flexible, versatile and secure travel pod – good company on trips. Quick mounting and demounting of your camera with the patented Mag Mount system. Includes anti-rotation adapter, cord and D-ring system for added stability. Can be mounted almost everywhere to the smooth and flexible legs. Belt fixation of legs prevents leg sliping. Supplied with Mag Mount quick-release plates.

- Weight: 340 g
- Height: 23 cm
- Spread Angle max. 39 cm
- Load: max. 4 kg

Item No	EAN13	MSRP €
380492	0689076066617	45,95



Mag Mount Mag Bag

Characteristics

Mag Bag (also known as bean bag) is filled with synthetic granules with water-resistant zipper, skid proof bottom and adjustable strap. Stabilizes your camera especially during close-up and macro shots. Supplied with silver colored Mag Mount release and (for light cameras and devices) 2 spare ballast bags

Item No	EAN13	MSRP €
380499	4000461046056	49,90

T'Pod
Trek-Tech.com

MagMount Series

Window Mount

Characteristics

You can take photos or videos e.g. from your car window. Simply fix the 2way panhead on an open car window. Then adjust the desired angle. The camera is held by the fantastic Mag Mount system with 2way panhead. Well suited for use with spotting scopes and binoculars.

Item No	EAN13	MSRP €
380490	4000461046049	89,00

Note

Mag Mount 2D Soft Head
Details see page 39.

Mag Mount Ball Head with 2 Quick-release Plates

Characteristics

Robust metal ball head with extra camera secure system . Spare or accessory plate for Mag Mount System. For SLR & compact cameras with 1/4“ camera and tripod mount. Smooth camera connection with cork bearing. Supplied with 1 each quick-release plate silver (1/4“) and 1 quick-release plate black (1/4“).

Item No	EAN13	MSRP €
380485	4000461037276	39,00

VersaMount

Versa Mount Clamp Tripod

Characteristics

Can be mounted almost everywhere e.g. on balustrades, branches, pipes and every tripods. Fast mounting and unmounting with screw clamp. Fits Mag Mount and Versa Rest. Metal work, 1/4“ tripod mount.

Item No	EAN13	MSRP €
380486	4000461037283	29,00

Versa Rest

Characteristics

Support for telephoto lenses. Versa Rest is compatible with Mag Mount by attaching it to the magnetic plate. Objective lens is leaned on the Versa Rest. Avoids blurred images even for longer focal lengths. Also compatible with Spotting Scopes and Air Guns. Compatible with: T´Pod, Trek Pod II, Window Mount, Mag Mount Ball Head

Item No	EAN13	MSRP €
380486	4000461037283	29,00

Mag Mount Base Plate with Quick-Release

Characteristics

Additional or replacement plate for Mag Mount System. Smooth camera connection with cork surface and 1/4“ tripod mount

- For cameras with 1/4“ tripod socket

Item No	EAN13	MSRP €
380488	4000461037306	19,90

Mag Mount Quick-Release Shoe silver

Characteristics

Spare quick-release for Mag Mount system.

- 1/4“ tripod mount
- For compact cameras with 1/4“ tripod socket
- Smooth camera connection with cork surface

Item No	EAN13	MSRP €
380483	4000461037597	9,90

Mag Mount Quick-Release Shoe black

Characteristics

Spare quick-release for Mag Mount system.

- 1/4“ tripod mount
- For SLR cameras with 1/4“ tripod socket
- Smooth camera connection with cork surface

Item No	EAN13	MSRP €
380484	4000461037603	9,90

Monopods

MP Magnesium-Alu & MP Basalt Monopods

Characteristics

Sturdy and lightweight monopods with 5 sections, quick adjustment with rotating grips, wrist strap, 1/4“ & 3/8“ mount

MP Magnesium-Alu: rubber tip and spike
MP Basalt: rubber tip

Item	Item No	EAN13	MSRP €
MP Mag/Alu	380195	4000461041068	89,00
MP Basalt	380190	4000461041051	129,00

Profi Mono 3 & Profi Mono 4 Monopods

Characteristics

4 section monopods with one-touch leg locks and 3/8” mount. Extremely robust and lightweight. Supplied with case.

Profi Mono 3: 3way panhead with quick-release shoe and ¼” camera mount: With rubber tip and foot rest.
Profi Mono 4: Multi purpose monopod with rubber tip.

Item	Item No	EAN13	MSRP €
Profi Mono 3	372703	4000461021916	44,90
Profi Mono 4	372704	4000461021909	59,90

Monopod „MP148 BC / MP165 Slim / MP170“

Characteristics

Pro monopods with 3way panhead, quick-release shoe and ¼“ mount. For horizontal and vertical shots. With rubber grip and rubber tip.

MP 148 BC: 2 sections, 3way panhead with panorama function. Supplied with clip for belt fixation.
MP 165: 5 sections
MP 170: 4 sections, spiks, rifle rest and case, without panhead.

Item	Item No	EAN13	MSRP €
MP 148	380148	4000461052149	34,90
MP 165	380165	4000461050923	49,00
MP 170	380170	4000461042355	29,90

Specifications	Type	Measurement/ Weight
Height min/max.	MP Alu	47 - 155 cm
	MP Basalt	45 - 155 cm
	Profi 3	62 - 179 cm
	Profi 4	67 - 178 cm
	MP 148	36 - 139 cm
	MP 165	52 - 169 cm
	MP 170	62 - 179 cm
Max. Load	MP Alu	2,8 kg
	MP Basalt	2,8 kg
	Profi 3	3 kg
	Profi 4	4 kg
	MP 148	2 kg
	MP 165	2,8 kg
	MP 170	3 kg

Specifications	Type	Measurement/ Weight
Profile- Ø	MP Alu	28 mm
	MP Basalt	28 mm
	Profi 3	30 mm
	Profi 4	30 mm
	MP 148	22 mm
	MP 165	22 mm
	MP 170	30 mm
Weight	MP Alu	499 g
	MP Basalt	416 g
	Profi 3	480 g
	Profi 4	750 g
	MP 148	580 g
	MP 165	400 g
	MP 170	480 g



Leki Hiking & Trekking Pole

with Photo System

Leki Sierra FS Hiking Pole

Characteristics

Monopod with 3 sections. Hiking pole with height adjustment and removable lid. Below the lid: ¼″ camera mount. Metal tip with rubber buffer.

Item No	EAN13	MSRP €
380092	4028173136285	49,90

Leki FS Carbon & Leki FS Alu Trekking Poles



Characteristics

Trekking pole with speed lock – fast, easy and safe. With integrated photo adapter for sharp images and films. Metal tip with rubber buffer and wrist strap.

FS Carbon black/gold: 4 sections
FS Alu black/white/red: 3sections

Item	Item No	EAN13	MSRP €
FS Carbon	380098	4028173229017	99,95
FS Alu	380099	4028173229024	79,95

Leki Carbonlite XL – Pair of Trekking Poles with Photo Adapter



Characteristics

2 poles in a kit. Performance requirements of a trekking pole are manifold. It should be rigid, lightweight and comfortable just to mention some of the main features. Each components is optimized for its own task.

- Carbide metal flex tip with disk
- Super Lock System: 3 sections
- Supplied with 1 photoadapter and cover

Item No	EAN13	MSRP €
380094	4028173025923	149,00

Specifications	Type	Measurement/ Weight
Height min/max.	Sierra FS	66 - 153 cm
	FS Carbon	69 - 170 cm
	FS Alu	70 - 150 cm
	Carbonlite	63 - 135 cm
Weight	Sierra FS	305 g
	FS Carbon	360 g
	FS Alu	320 g
	Carbonlite	404 g

Specifications	Type	Measurement/ Weight
Profile- Ø	Sierra FS	34,5 mm
	FS Carbon	20/18/16/14 mm
	FS Alu	18/16/14 mm
	Carbonlite	16/14/12 mm

Rubber Buffer für Leki Poles

Characteristics

For optimum grip on paved roads.

Item No	EAN13	MSRP €
380095	4028173174072	5,90

Travel and Table Pods



Bottle Neck Pod

Characteristics

Ideal for compact digi cams or webcams. Makes every bottle a tripod. Perfect for traveling. Fits almost every bottle.

Item No	EAN13	MSRP €
380012	4000461030260	8,90



Flexi Mini Tripod

Characteristics

The classical pocket pod: metal table tripod, black, with flexible legs. Height 12 cm.

Item No	EAN13	MSRP €
380420	4000461007767	5,00



Triflex Mini Pod

Characteristics

Extremely compact mini pod with flexible legs for compact digicams. Great on trips. Height: 12,5 cm

Item No	EAN13	MSRP €
380422	4000461063374	6,99



Digi Suction Pod

Characteristics

Sucks on glass or metal surfaces and holds your camera or mobile phone. Supplied with phone clip and release shoe. Height: 8,2 cm.

Item No	EAN13	MSRP €
380011	4000461024269	15,90



Table Clamp

Characteristics

Can be fixed firmly on rods, fences or branches. Best for action videos taken while your digicam is mounted on your bike handlebar. Removable ball head, 1/4“ camera mount

Item No	EAN13	MSRP €
380016	4000461053917	17,90



Mini Velcro Pod

Characteristics

For digi cams and action cams. Can be fixed at bicycles, motor cycles, bars and more with Velcro. Lateral legs can be swung out. Stury and super flat. Adjustable 1/4“ mount.

Additional Features Mini Velcro Pod with Ball Head:
Removable ball head 1/4“ mount

Item	Item No	EAN13	MSRP €
w/o ball head	380017	4000461053924	17,90
with ball head	380018	4000461053931	18,90

Travel and Table Pods



Superflex Pod Table Pod

Characteristics

Extremely flexible tripod. Can be mounted in branches or around hand rails for creative shots from new perspectives. Flexible legs, ballhead with quick-release shoe and 1/4“ camera mount.

- Height: 27,2 cm
- Max. load: 1 kg
- Weight: 156 g
- Profile: 19 mm

Item No	EAN13	MSRP €
380015	4000461053900	18,90



HU 13.5 Table Pod

Characteristics

Sturdy metal table and travel pod with remarkably high load capacity. With ball head and non-slip rubber tips.

- Height: 13,5 cm
- Max. load: 2 kg
- Weight: 256 g
- 1/4“ camera mount

Item No	EAN13	MSRP €
380414	4000461045219	24,90



Ulti-Mo Table Pod

Characteristics

Extremely robust metal table and travel pod, for all that handy and lightweight. Ball head with bubble level, quick-release shoe 1/4” with safety lock, non-slip rubber tips. Supplied with case.

- Height: 18 cm
- Max. load: 3 kg
- Weight: 320 g

Item No	EAN13	MSRP €
380400	4000461057403	45,00

Replacement Quick-Release Shoe for Ulti-Mo

Item No	EAN13	MSRP €
380401	4000461066399	12,00



Micro Ball Mini Pod

Characteristics

Stable table pod with ball head and 1/4“ camera mount. Available in black and silver color.

- Height min/max: 14 - 17 cm
- Weight: 56 g

Item No	EAN13	MSRP €
380428	4000461053849	9,90



Mini Ball Plus Mini Pod

Characteristics

2 section tripod with ball head and rubber tips. Available colors: black, blue, champagne.

- Height min/max: 14 - 20,5 cm
- Max. load: 2 kg
- Weight: 80 g

Item No	EAN13	MSRP €
380429	4000461053856	12,95



Mini Click Mini Pod

Characteristics

3 section tripod with ball head, quick-release shoe 1/4“. Telescopic legs with rubber tips.

- Height: 7,2 - 29 cm
- Max. load: 2 kg
- Weight: 76 g
- Max. spread: 17,5 cm
- Profile: 16 mm

Color	Item No	EAN13	MSRP €
black	380474	4000461052095	14,90
grey	380475	4000461052101	14,90
blue	380477	4000461052125	14,90

Camera Remote Releases

Live View Wireless Remote Release Kit

Characteristics

Best for unobserved photography, for macro shots or photography from bird's perspective where the camera must be positioned at a location with difficult access. The image as shown on the camera display is transmitted with rradio signals to the Live View 3" (7,62cm) display. Live View allows the focus control, camera release and even more functions from a distance. The additionally supplied cable helps when a wireless transmission is not desired.

- Range: app. 15 m
- Modes: single frame, continuous shooting, BULB mode; delayed shooting
- Number of channels: 3
- Display: 3" TFT 960 x 240
- Well suited for: cameras with AV output and remote socket. Only cameras with Live View (LV) function can use the live view mode
- Power source: 2 x 3,7V 1.200mAh Li-Ion battery
- Battery lasts: Standby/Operation: Transmitter 500h/ 6h / Receiver 500h/ 4h
- Measurements app.: Transmitter 67x48x25,5mm / Receiver 102x61x19mm
- Weight: Transmitter 34g / Receiver 77g

Camera Type	Item No	EAN13	MSRP €
Canon	371380	4000461054563	299,00
Nikon	371381	4000461054570	299,00

Optional Connecting Cable 3m for Live View

In some cases wired signal transmission is desired, but the supplied cable is too short (0,5m). The solution is the 3m connecting cable.

Camera	Item No	EAN13	MSRP €
Canon 5D / 50D	371385	4000461054587	34,90
Canon 500D / 550D	371386	4000461054594	34,90
Canon 7D / 1D Mk VI	371387	4000461054600	34,90
Canon 5D Mk II	371388	4000461054617	34,90
Nikon D300s / D700	371390	4000461054624	34,90
Nikon D90	371391	4000461054631	34,90
Nikon D5000	371392	4000461054648	34,90

Press Comments & Awards

foto MAGAZIN 2/11 ★★★★ EXCELLENT

Foto Magazin 02/11:
„Pro: Simple to install and operate, long operation time"

Chip Foto Video 03/11: "Ideal for shy objects and complicated perspectives"

Foto Hits Magazin 06/11: "Luxury Remote Control"

Photographie Accessory Special 2011:
"lightweight assistant grants more comfort for improved image results."

Wireless Remote Shutter 100m

Characteristics

The use of a wireless remote shutter is an effective way to avoid blurred images. The wireless shutter offers more practical functions: self-timer shots, inconspicuous shots of shy or dangerous animals or macro shots. The reliable wireless function within a distance range of 100 m provides more flexibility and comfort to the photographer.

- Wireless distance range: up to 100 m
- 16 Channel selectable (important for use with various camera, e.g. in photo studios)
- 4 Shutter modes: single frame, continuous shooting, delayed shooting (self-timer) BULB mode for long time exposure (if supported by the camera).
- Power source: Transmitter 12V/23A battery, Receiver 1x CR2 battery (both included)
- Function display: 2 color LED
- Frequency: 433 MHZ

Camera Type	Item No	EAN13	MSRP €
Canon C1	371460	4000461063039	54,90
Canon C3	371462	4000461063046	54,90
Nikon N1	371463	4000461063053	54,90
Nikon N3	371465	4000461063060	54,90
Sony S1	371466	4000461063077	54,90
Panasonic P1	371468	4000461063084	54,90

Wireless Remote Shutter

Characteristics

In case of long exposure times it is essential to release shutter without vibration in order to avoid blurred picture results. Camera shakes can be avoided by the use of a wireless remote shutter. Another advantage: it also serves as a self-timer.

- Wireless distance range up to 15 m
- 16 channels selectable to avoid disturbances
- BULB mode setting for long time exposure available

Camera Type	Item No	EAN13	MSRP €
OP 12	371451	4000461051944	54,95

Camera Remote Releases

Remote Shutter with Cable

Characteristics

In case of long exposure times it is essential to release shutter without vibrations. Even when using a tripod your pictures can get slightly blurred simply by the movement caused by pressing the camera's release button. The remote shutter with cable solves these problems and additionally serves as a self-timer.

- Cable length: 1m
- BULB mode setting for long time exposure available

Camera Type	Item No	EAN13	MSRP €
Canon C10	371510	4000461047510	12,95
Canon C11	371511	4000461047527	12,95
Nikon N30	371530	4000461047541	12,95
Nikon N31	371531	4000461047558	12,95
Nikon N40	371540	4000461048111	14,95
Sony S20	371520	4000461047534	12,95
Olympus O12	371551	4000461051968	14,95

Wireless Remote Shutter Release with Timer

Characteristics

Amongst other advantages the wireless remote shutter with timer can be used for time lapse photography, e.g. a flower that starts blooming or for astronomical photography.

- Wireless distance range up to 100m
- 16 Channel selectable (important for use with various camera, e.g. in photo studios)
- 4 Shutter modes: delayed shutter (self-timer), BULB for long exposure time, timer and remote shutter
- Remote shutter function wireless or with cable
- Exposure counter
- Power source: Transmitter 2x AAA Micro batteries, Receiver 1x CR2 battery (both included)
- Measurements: 40 x 20 x 143mm
- Weight: 85g (w/o battery)

Camera Type	Item No	EAN13	MSRP €
Canon C1	371480	4000461066085	73,50
Canon C3	371481	4000461066092	73,50
Nikon N1	371485	4000461066108	73,50
Nikon N3	371486	4000461066115	73,50
Sony S1	371490	4000461066122	73,50
Panasonic P1	371495	4000461066139	73,50

Type	Available for the following cameras – Please visit www.doerrfoto.de for up-to-date compatibility information
C1 / C10	**CANON** Powershot G10, G11, G12, EOS300, EOS300V, EOS50E, EOS50, EOS33, EOS30, EOS50D / Digitalkameras: EOS300D, EOS350D, EOS400D, EOS450D, EOS500D, EOS550D, EOS600D, EOS1000D, EOS1100D, EOS60D / **PENTAX** K5, K7, K10D, K110D, K100D, K20D, K200D, KM*ist D, ist DS, DL, DL2, MZ-6, MZ-L, ZX-L / **HASSELBLAD** H, H1, H2, H2D, H1D / **CONTAX** 645, NI, Nx, N, Digital, L/ **SAMSUNG** GX-1L, GX-1S, GX-10, GX-20
C3 / C11	**CANON EOS Digital SLR** EOS 1D, 1D Mark II, 1D Mark II N, 1D Mark III, 1D MARK IV, 1Ds/ 1Ds Mark II, 1Ds Mark III, EOS 1D X, EOS 5D, 5D Mark II, Mark III, 7D, 10D, 20D, 30D, 40D, 50D, D30, D60, D2000 / **CANON EOS Film SLR** EOS 1V, 1VHS 3 / **KODAK** DSC-530
N1/ N31	**NIKON** D200, D300, D300s, D700, D800, D3, D3X, D3S, D4, D1, D1h, D1x, D2, D2H, D2Hs, D2X, F5, F6, F100, F90, F90x **KODAK** DCS Pro 14n, DCS620 / **FUJI** S3 Pro, S5 Pro
N30	**NIKON** D70s, D80
N3 / N 40	**NIKON** D90, D3100, D5000, D5100, D7000
S1/ S20	**SONY** Alpha DSLR-A100, A200, A300, A350, A500, A550, A700, A850, A900 / **MINOLTA Maxxum/ Dynax/ AF** 7D, 5D, 9, 7, 5, 4, 3, 807si, 800si, 700si, 600si, 505si, 500si, Sweet, Sweets, XTSi, HTSi Plus, STS, 9xi, 7xi, 5xi, 9000i, 7000i, 9000, 7000, 5000 / **MINOLTA DiMAGE** 7Hi, 7i, 7, 5, A1, A2
P1	**PANASONIC Lumix DMC** FZ20, FZ20K, FZ25, FZ30, FZ50, LC1, L10, L1
OP12	**OLYMPUS** E400, E410, E450, E510, ES20, SP-550UZ

LCD Protection and Cleaning

HiTech Display Anti-Reflection Pprotection Foil for Smartphones

Characteristics

The highly transparent non-reflective foil is almost invisible. It protects the phone surface efficiently from scratches and does not affect the Touch Screen function.

- Maximum light transmission
- High brilliance for easy reading
- Easy to apply, residue free removal possible

Made in Germany

Model	Item No	EAN13	MSRP €
Apple iPhone 4/4S (Front- & Back Side)	902510	4000461069437	29,90
Apple iPhone 4/4S (Front Side)	902511	4000461069444	14,90
Samsung I9100 Galaxy S2	902512	4000461069451	14,90
Samsung I9300 Galaxy S3	902513	4000461069468	14,90

Display Protection Foil

Characteristics

Scratches on the camera display affect your view on the object. The display protection foil is a simple and inexpensive solution. The foils are cut in display size. If necessary, they can be reduced in size.

- Content: 2 display protection foils
- Prevents scratches effectively

Size	Item No	EAN13	MSRP €
2,5“ (51 x 38mm)	902025	4000461023149	6,90
2,7“ (58,5 x 47,5mm)	902027	4000461027741	6,90
3,0“ (60 x 48 mm)	902030	4000461023156	6,90
3,5“ (70 x 52 mm)	902035	4000461025532	6,90

sidekick
LENSPEN

LensPen Side Kick

Characteristics

Perfect for cleaning LCDs of iPads, tablet PCs and other Touch Screen devices. Lasts for app. 150 applications. Not effective on wet surfaces.

Item	Item No	EAN13	MSRP €
LensPen Side Kick	100094	776293045003	15,90
Refill Pads (2x)	100093	776293043009	11,90

Professional Super Clear Protection Foil

Characteristics

The super clear foils are cut to display sizes.

- 2 protection foils + paper tissue + Squeegee card
- Reduces reflections
- Extremely durable
- Maximum transparency
- Protects the camera LCD from dust, scratches and finger tips
- Easy to apply – residue free removal possible

Size	Item No	EAN13	MSRP €
2,5“ (51 x 38mm)	902101	4000461031540	9,90
2,7“ (58,5 x 47,5mm)	902103	4000461031557	9,90
3,0“ (60 x 48 mm)	902105	4000461031564	9,90
3,5“ (70 x 52 mm)	902107	4000461031571	9,90

Professional Super Clear Protection Foil 4,7“

Characteristics

Universal display protection. Simply cut it to the size of your display.
Content: 1 protection foil, template, Squeegee card

Item No	EAN13	MSRP €
902000	4000461031809	8,99

LCD Protection Foils

Hi-Tech Display Anti-Reflection Screen Protection Foil

Item	Item No	EAN13	Size mm
2,7“ Universal 4:3	902410	4000461066450	52 x 48
2,7“ Universal 3:2	902411	4000461066467	65 x 45
3“ Universal 16:9	902415	4000461066474	75 x 45
3“ Universal 4:3	902416	4000461066481	67 x 52
3“ Universal 3:2	902417	4000461066498	66 x 46
3,5“ Universal 16:9	902420	4000461066504	85 x 55
3,5“ Universal 4:3	902421	4000461066511	79 x 61
3,5“ Universal 3:2	902422	4000461066528	83 x 57

Hi-Tech Display Anti-Reflection Screen Protection Foil for Canon EOS

2,7“ for Canon EOS 1100D	902430	4000461066535
3,0“ for Canon EOS 550D	902431	4000461066542
3,0“ for Canon EOS 600D	902432	4000461066559
3,0“ for Canon EOS 60D	902433	4000461066566
3,0“ for Canon EOS 7D	902434	4000461066573
3,0“ for Canon EOS 5D Mark II	902435	4000461066580
3,0“ for Canon EOS 1D Mark IV	902436	4000461066597
3,0“ for Canon EOS 1Ds Mark III	902437	4000461066603
3,2“ for Canon EOS 1D X	902438	4000461066610
3,2“ for Canon EOS 5D Mark III	902439	4000461066948

Hi-Tech Display Anti-Reflection Screen Protection Foil for Nikon

3,0“ for Nikon 1 J1	902440	4000461066627
3,0“ for Nikon 1 V1	902441	4000461066634
3,0“ for Nikon D3100	902442	4000461066641
3,0“ for Nikon D5100	902443	4000461066658
3,0“ for Nikon D90	902444	4000461066665
3,0“ for Nikon D300S	902445	4000461066672
3,0“ for Nikon D7000	902446	4000461066689
3,0“ for Nikon D700	902447	4000461066696
3,0“ for Nikon D3s	902448	4000461066702
3,0“ for Nikon D3X	902449	4000461066719
3,2“ for Nikon D4	902450	4000461066726
3,2“ for Nikon D800	902451	4000461066955

Hi-Tech Display Anti-Reflection Screen Protection Foil for Olympus Pen

3,0“ for Olympus Pen EP1	902460	4000461066733
3,0“ for Olympus Pen EP2	902461	4000461066740
3,0“ for Olympus Pen Lite EPL3	902462	4000461066757
3,0“ for Olympus Pen Mini EPM1	902463	4000461066764

Hi-Tech Display Anti-Reflection Screen Protection Foil for Panasonic Lumix DMC

3,0“ for Panasonic Lumix DMC G3	902470	4000461066771
3,0“ for Panasonic Lumix DMC GF3	902471	4000461066788
3,0“ for Panasonic Lumix DMC GH2	902472	4000461066795
3,0“ for Panasonic Lumix DMC GX1	902473	4000461066801
3,0“ for Panasonic Lumix DMC TZ22	902474	4000461068300
3,0“ for Panasonic Lumix DMC TZ31	902475	4000461068317
3,0“ for Panasonic Lumix DMC SZ1/SZ7	902476	4000461068324

DÖRR Hi-Tech Display Anti-Reflection Screen Protection Foil for Sony Alpha

3,0“ for Sony Alpha SLT 33	902480	4000461066818
3,0“ for Sony Alpha SLT 35	902481	4000461066825
3,0“ for Sony Alpha SLT 55	902482	4000461066832
3,0“ for Sony Alpha SLT 65	902483	4000461066849
3,0“ for Sony Alpha SLT 77	902484	4000461066856
2,7“ for Sony Alpha 290	902485	4000461066863
2,7“ for Sony Alpha 390	902486	4000461066870
2,7“ for Sony Alpha 450	902487	4000461066887
3,0“ for Sony Alpha 580	902488	4000461066894
3,0“ for Sony Alpha 850	902489	4000461066900
3,0“ for Sony Alpha 900	902490	4000461066917

MSRP €	each 12,90

DÖRR
Hi-Tech Screen Protection
professional
DÖRR
DÖRR
www.doerrfoto.de
www.doerrfoto.de

Characteristics

- Protects the display from dust, scratches and finger tips
- Qualified for touch screens
- Maximum light transmission
- Easy to apply and remove
- Includes Duo-wipe screen cleaner: to clean the screen using the moist wipe. Dry off with the cloth.

Made in Germany

simple to apply

wet & dry cleaning

w/o foil

with foil

LCD Protection and Magnifying Lens



LCD Protector- Custom-fit for many DSLRs

Characteristics

Scratches on camera displays affect the photographer’s view on the object. The custom-fit LCD Protector for your camera solves this problem effectively.

- Inherently stable scratchproof display protection
- Crystal clear and brilliant image provided by 100% light translucence
- Easy to apply – residue free removal possible

Suits	Item No	EAN13	MSRP €
Canon 450D/500D	902300	4000461050640	14,90
Canon 50D - Twin	902301	4000461050657	19,90
Canon 1000D	902302	4000461050664	14,90
Canon 5D Mark II TWIN	902303	4000461050671	19,90
Canon 7D	902304	4000461053870	19,90
Canon EOS 550D	902305	4000461053887	14,90
Canon EOS 60D	902306	4000461060854	19,90
Canon 1100D	902307	4000461062056	19,90
Canon 5D Mark III	902308	4000461066344	19,90
Canon EOS 1DX	902309	4000461066351	19,90
Canon 600D	902335	4000461068133	14,90
Nikon D3100	902310	4000461059339	14,90
Nikon D3s (Twin)	902312	4000461059346	19,90
Nikon D7000	902314	4000461060878	19,90
Nikon D800	902315	4000461066368	19,90
Nikon D4	902316	4000461066375	19,90
Olympus PEN E-P1	902330	4000461059360	14,90
Olympus PEN E-P2	902331	4000461059377	14,90
SonyAlpha 300/350	902320	4000461050688	14,90
SonyAlpha 380/330/230	902321	4000461050695	14,90
SonyAlpha 700	902322	4000461050701	14,90
SonyAlpha 900 - Twin	902323	4000461050718	19,90
Sony NEX3/NEX5	902324	4000461059353	14,90

LCD Protector

Characteristics

Suitable for the following LCD sizes: 2,5“, 2,55“, 2,7“ and 3“.

- Inherently stable scratchproof display protection
- Crystal clear and brilliant image provided by 100% light translucence
- Easy to apply – residue free removal possible

Size	Item No	EAN13	MSRP €
2.5“	902341	4000461050725	13,90
2.55“	902342	4000461050732	13,90
2.7“	902343	4000461050749	13,90
3“	902345	4000461050756	13,90

DigiFinder Plus

Characteristics

The DigiFinder Plus is simply clicked on or off the camera display. It is held by a thin adhesive frame which is fixed around the LCD frame (residue free removal possible). When the DigiFinder Plus is not in use, the supplied LCD protector can be clicked onto the LCD frame.

- Magnifying Lens 2,75x with diopter correction
- Supplied with X-treme LCD protector: inherently stable and scratch proof
- Made in Germany

Size	Item No	EAN13	MSRP €
2,7“ (54 x 40mm)	902350	4000461055829	59,90
3,0“/ 4:3 (61 x 46mm)	902351	4000461055836	59,90
3,0“/ 3:2 (64 x 42mm)	902352	4000461055843	59,90



X-Treme LCD Protector

Characteristics

Optimum protection against dust and scratches for the LCD of your valuable camera. The protector is simply clicked on or off the camera display. It is held by a thin adhesive frame which is fixed around the LCD frame (residue free removal possible).

- Maximum light translucence
- Crystal clear and brilliant images
- Made in Germany

Size	Item No	EAN13	MSRP €
2,7“ (54 x 40mm)	902360	4000461055850	9,90
3,0“/ 4:3 (61 x 46mm)	902361	4000461055867	9,90
3,0“/ 3:2 (64 x 42mm)	902362	4000461055874	9,90

Cleaning Pens and Sensor Loupe

DÖRR

LENSPEN
Full Scale
LENSPEN

LensPen Pro Cleaner

Characteristics

Unique cleaning pen for glass or plastic lenses. The brush removes the dust in an initial rough cleaning. The coated circle- round tip removes the fingertips, reams and more.

- No liquid – does not leak or dry up
- Eco-friendly and nontoxic

Item No	EAN13	MSRP €
101006	4000461040900	13,90


PRO
Full Scale
LENSPEN

LensPen Mini Pro X Cleaner

Characteristics

Ideal cleaner for optical lenses. The brush removes the dust in an initial rough cleaning. The small coated circle- round tip removes the fingertips, reams in smallest edges. Ergonomically shaped grip.

- No liquid – does not leak or dry up
- Eco-friendly and nontoxic

Item No	EAN13	MSRP €
100091	4000461065859	14,90


www.doerrfoto.de
Full Scale
LENSPEN

LensPen Digital Cleaner

Characteristics

Perfect for glass or plastic lenses, displays and other optical surfaces.

- The triangle shape neatly cleans the edges of the various surfaces.
- No liquid – does not leak or dry up
- Eco-friendly and nontoxic

Item No	EAN13	MSRP €
101003	4000461022678	13,90


Lap Top-Pro
by LENSPEN
Screen
Keyboard
Screen
Keyboard
LENSPEN

Lap-Top Pro

Characteristics

Perfect lap top cleaner for both LCD Monitor (pad) and keyboard (brush) – even below the keys!

Item No	EAN13	MSRP €
101106	4000461034213	22,90

Lap Top
by LENSPEN
Keyboard
Screen

SENSORKLEAR
Full Scale
LENSPEN

LensPen Sensor Klear Pen II

Characteristics

Adjustable cleaning pen for sensor cleaning. Ideally combines with the Sensor Klear Loupe. Long-lasting for up to 100 applications.

Item No	EAN13	MSRP €
100099	4000461048951	19,95

LensPen Sensor Klear Loupe

Characteristics

Simply and safe in use!

- Precise cleaning with a 6x magnification
- 4 LEDs with clear view on the sensor – you will recognize smallest dust particles
- Variable in height to suit most camera housing

Item No	EAN13	MSRP €
100098	4000461048944	59,90

Note

We recommend the Sensor Klear Loupe with the adjustable Sensor Klear Pen II for most effective sensor cleaning!

Reinigungsset 5-tlg.

Super Blower

Characteristics

Blower for extra strong flow! Removes dust particles from all glass surfaces such as lenses and more.

Color	Item No	EAN13	MSRP €
blue	101030	4000461033261	6,99
black	101031	4000461033278	6,99

Silicon Blower

Characteristics

Efficiently removes dust from cameras and optical devices. The long-lasting and soft Silicon material makes the blower comfortable to use.

Item No	EAN13	MSRP €
101035	4000461068607	6,99

Cleaning Kit 5pcs

Characteristics

Best care for your camera equipment and other optical devices. 5 components: blower brush, cleaning fluid, paper tissue, cleaning tissue and cotton swabs.

Item No	EAN13	MSRP €
101012	4000461031397	10,99

spudz
spudz
spudz
SPUDZ

Micro Fibre Tissue “extra strong“

Characteristics

The soft and tear-proof micro fibre tissue removes finger tips, reams and more from lenses and other scratch sensitive surfaces.

Item No	EAN13	MSRP €
101014	4000461031403	4,99

Spudz HD Ultra Cleaning Tissue

Characteristics

Large and extra soft micro fibre tissue 18x18cm. Prevents scratches when cleaning optical and other sensitive items. The attached pouch keeps the tissue clean.

Item No	EAN13	MSRP €
101023	873442000842	15,90

Spudz Cleaning tissue big / small

Characteristics

Best for all optical and scratch sensitive surfaces. The attached pouch keeps the tissue clean. Conveniently fitted with small carabineer hook. Can be washed at 30°C.

- Size big: 25 x 25 cm
- Size small: 15 x 15 cm

Item	Item No	EAN13	MSRP €
big	101024	699464000314	15,90
small	101022	4000461031694	5,99

DÖRR & Green Clean

Air Duster and Vacuum Cleaners

Air Power 150 ml

Characteristics

Compressed air can with single use valve and capillary pipe, 150ml.

Item No	EAN13	MSRP €
106009	4000461040030	8,90

GC High Tech Traveller 150ml

Characteristics

Especially made for cleaning without contact and residue free in many fields. Efficient compressed air, ideal for traveling, 150ml

Item No	EAN13	MSRP €
G-2016	9003308020160	9,90

GC Air Power 400ml standard Aerosol valve

Characteristics

Compressed air can with single use valve and capillary pipe, 400ml

Item No	EAN13	MSRP €
G-2040	9003308020405	17,50

GC Air Power ECO Booster 400ml

Characteristics

ECO Booster is a good value compressed air version for computers, photography, hobby. Removal of dust, fluff, dirt. Including capillary pipe, 400ml.

Item No	EAN13	MSRP €
G-2044	9003308020443	15,90

GC High Tech Air Power 400ml + Valve

Characteristics

Hi Tech compressed air – efficient, strong pressure, not flammable, 400ml

Item No	EAN13	MSRP €
G-2050	9003308020504	18,90

GC High Tech Air Power 400ml

Characteristics

Compressed air can with single use valve and capillary pipe, 400ml

Item No	EAN13	MSRP €
G-2051	9003308020511	22,90

Worth to Know

Dust particles, if removed mechanically, can produce scratches on sensitive components. That is why the contact and residue free cleaning is important in many fields.
Two types of valves allow the blowing or dusting of loose particles. In both cases the energy is provided by purified compressed air: Air + Vacuum Power. Air Power is a one-way version which is well suited for blowing dust off for maintenance and service purposes or repair of sensitive components.

DÖRR

Air Duster and Vacuum Cleaners

GREEN CLEAN
for fine technics
HI-TECH
Air + Vacuum Power

GC Air Power Starter Kit

Characteristics

For details of the kit components, please refer to the descriptions of the individual items. Content:
2x G-2041, 400ml compressed Air*
1x V-2000 Blow-out Valve

Item No	EAN13	MSRP €
GS-2041	9003308120419	54,90

* Compatible with the illustrated valves.

GREEN CLEAN
for fine technics
HI-TECH
Air + Vacuum Power

GC Starter Kit Hi Tech+ V2000

Characteristics

For details of the kit components, please refer to the descriptions of the individual items. Content:
2x G-2051, Air Power 400ml
1x V-2000 Blow-out Valve

Item No	EAN13	MSRP €
GS-2051	9003308120518	58,00

GREEN CLEAN
for fine technics
HI-TECH
Air + Vacuum Power

GC Starter Kit Hi Tech+ V2100

Characteristics

For details of the kit components, please refer to the descriptions of the individual items. Content:
2x G-2051, Air Power 400ml
1x V-2100 Valve with Antistatic Adapter

Item No	EAN13	MSRP €
GS-2151	4000461062742	89,00



GC Top Blow-out Valve V-2000

Characteristics

Blow-out valve especially for cleaning of technical devices. Precise pressure control allows economical use.

Item No	EAN13	MSRP €
V-2000	9003308620001	10,90



GC Top Valve V-2100 with Antistatic Adapter

Characteristics

Blow-out valve with antistatic brush. Designed for cleaning of lens borders and display corners, small parts and slides. Not recommended for sensor cleaning.

Item No	EAN13	MSRP €
V-2100	9003308621008	34,80

GC Top Valve V-2200 Extender Set

Characteristics

Blow-out valve with adapter, either with inflexible capillary pipe or flexible pipe (both included). Length of capillary pipe 25cm, length of flexible pipe 60cm.

Item No	EAN13	MSRP €
V-2200	9003308622005	28,00

GC Mini Vac System



Characteristics

Suction valve and compressed air Can function as mini hoover. Even small parts are absorbed in a small washable plastic container. Best for all situations where blowing out is not possible.

Item No	EAN13	MSRP €
V-3000	9003308630000	36,80

GREEN®™
CLEAN
for fine technics

Sensor Cleaning

GC Sensor Cleaning System- Full Frame Size

Characteristics

Gentle Cleaning of full frame digital camera sensors. Content:
1 x High Tech Compressed Air 400ml, G-2051
1 x Mini Vac Suction Valve, V-3000
3 x Pick Up Tubes, SC-4050
3 x Wet Foam & Dry Sweeper 24mm, SC-4060

Item No	EAN13	MSRP €
SC-4000	9003308540002	85,00

GC Sensor Cleaning System- Non Full Frame Size

Characteristics

Gentle cleaning for SLR Cameras with APS-C sensor and up-to-date camera models. Content:
1 x High Tech Compressed Air 400ml, G-2051
1 x Mini Vacuum Suction Valve, V-3000
3 x Pick Up Tube, SC-4050
3 x Wet Foam & Dry Sweeper, SC-4070

Item No	EAN13	MSRP €
SC-4200	9003308542006	85,00

GC Sensor Cleaning Traveller Kit

Characteristics

Ideal for travelling. Gentle cleaning of DSLR camera sensors with compressed air. Choose Wet Foam & Dry Sweeper according to your sensor size.
Content:
1x High Tech Compressed Air 150ml, G-2016
1x Mini Vacuum Suction Valve, V-3000
1x Pick Up Tubes, SC-4050

Item No	EAN13	MSRP €
SC-4100	9003308541009	45,00

GC After Shake Kit

Characteristics

Cleaning System for DSLR Cameras with supersonic vibration. Content:
5 x double bags Wet Foam & Dry Sweeper
1 x Clip & Flip Loupe Sc-0500
1 x LCD Wipe Cleaning Cloth, 8 x 8 cm

Item No	EAN13	MSRP €
SC-5200	9003308552005	59,90

GC After Shake - WET Foam & DRY Sweeper

Characteristics

Cleaning accessory for After Shake Kit SC-5200. Content: 3 sets Wet Foam & Dry Sweeper, single packaging

Item No	EAN13	MSRP €
SC-5070-3	9003308550735	22,90

Clip & Flip - Loupe

Characteristics

Perfect cleaning help for DSLR cameras, both hands free. Magnification: 1,75 x (+3.00 diopter). The Loupe allows stereoscopic vision with both eyes even for spectacle wearers. Fixation for caps, etc.

Item No	EAN13	MSRP €
SC-0500	9003308505001	15,90

Worth to Know

Modern cameras have the possibility to shake the sensor for cleaning. Stains remain on the sensor anyway. The solution is the After Shake Wet Foam & Dry Sweeper. First use the Wet Foam Swab for cleaning, then take the dirt off with the Dry Sweeper.

GC Digi Back Cleaning Kit

Characteristics

Gentle Cleaning of digital back sensors. Content:
1x Air & Vacuum Power HiTech, G-2051
1x Anti Static Top Valve, G-2100
10x Silky Wipe Cleaning Cloth 8 x 8cm, single packaging, T-1020
1x Cleaning Fluid Digital Capture Back Cleaning Liquid 15ml

Item No	EAN13	MSRP €
SC-8000	9003308580008	119,00

GC Back Sensor Cleaning Replacement

Characteristics

Cleaning accessory for Digi Back System SC-8000. Content:
10x Silky Wipe Cleaning Cloth, 8 x 8cm, single packaging, T-1020
1x Cleaning Fluid Digital Capture Back Cleaning Liquid 15ml

Item No	EAN13	MSRP €
SC-8050	9003308580503	29,90



GC Sensor Cleaning Pick Up Tubes

Characteristics

Pick Up Tube for Air Power Cans, especially for sensor cleaning. Content:3 pcs in aseptic single packaging

Item No	EAN13	MSRP €
SC-4050-3	9003308540538	10,90



GC Sensor Cleaner Wet&Dry, Full Frame

Characteristics

25 sets of 1 each foam and dry sweeper ideal for sensor cleaning. The applicators are presaturated and individually packed – produced in clean room.

Item No	EAN13	MSRP €
SC-4060-25	9003308540620	159,00

GC Sensor Cleaner Wet & Dry – Full Frame

3 sets of 1 each foam and dry sweeper ideal for sensor cleaning.

Item No	EAN13	MSRP €
SC-4060-3	9003308540637	22,90



GC Sensor Cleaner Wet&Dry, Non Full Frame

Characteristics

25 sets of 1 each foam and dry sweeper ideal for cleaning of CCD and CMOS sensors in APS-C format. The applicators are presaturated and individually packed – produced in clean room.

Item No	EAN13	MSRP €
SC-4070-25	9003308540729	159,00

GC Sensor Cleaner Wet&Dry, Non Full Frame

3 sets of 1 each foam and dry sweeper ideal for CCD and CMOS sensors in APS-C format.

Item No	EAN13	MSRP €
SC-4070-3	9003308540736	22,90

GC LCD Cleaning Kit

Characteristics

Streakfree cleaning of all types of flat screen displays. Content:
2x Silky Wipe Cleaning Cloth 25 x 25cm, single packaging, washable
1x Plasma Cleaner 125ml

Item No	EAN13	MSRP €
C-6000	9003308360006	17,50

Camera & Optics Cleaning

GREEN CLEAN
Silky Liquid
Cleans & protects
Silky Liquid & Wipe

GC Silky Wipe & Liquid

Characteristics

Antistatic, no influence on light refraction and spectral light transmission. Designed for Camera Lenses, View-Finder, Touch Phones, Tablet PC´s, Navigation Systems, Digital Frames etc. Gentle Cleaning and protection from new stains, especially fingerprints. Content:
Each 1x Optic Cleaning Cloth and
1x Cleaning Fluid in Blisterpack

Item No	EAN13	MSRP €
LC-1000	9003308710009	15,90

GREEN CLEAN
Silky Wipe
25 x 25 cm

GC Silky Wipe 25x25 cm

Characteristics

Smooth Cleaning Cloth (silk derivative) with excellent polish performance for optic and electronic devices like Touch Phones, Tablet PC´s, Navigation Systems, Digital Frames and more…
Content: Size 25 x 25cm, washable at 30°C.
Single packaging in cellophane and Blister.

Item No	EAN13	MSRP €
T-1020	9003308810204	6,20

GREEN CLEAN
for fine technics
air power
traveller
Lens Cleaner
wet
dry

GC Optic Cleaning Kit

Characteristics

For details of the kit components, please refer to the descriptions of the individual items. Content:
1 x G-2015, Air Power Compressed Air 150 ml
10x LC-7010 Wet & Dry Lens Cleaner

Item No	EAN13	MSRP €
LC-7000	9003308770003	18,90

GREEN CLEAN
for fine technics
Lens Cleaner
wet
dry

GC Wet & Dry Lens Cleaner 50 pcs

Characteristics

Dispenser of 50 double bags with 1 each dry and wet special tissue. The wet tissue is saturated with a special cleaner optimized for optical lenses.
It removes stains and provides an antistatic effect.

The dry is meant to dry the overleft cleaning liquid and to polish the lens surface.

Item No	EAN13	MSRP €
LC-7010-50	9003308770157	33,00

GREEN CLEAN
for fine technics
Lens Cleaner
wet
dry

GC Wet & Dry Lens Cleaner 10 pcs

Characteristics

Box of 10 double bags with 1 each dry and wet special tissue. The wet tissue is saturated with a special cleaner optimized for optical lenses.
It removes stains and provides an antistatic effect.

The dry is meant to dry the overleft cleaning liquid and to polish the lens surface.

Item No	EAN13	MSRP €
LC-7010-10	9003308770102	7,99

GREEN CLEAN
for fine technics
TOUCHPAD CLEANER
11:47

GC Touch Pad Cleaner

Characteristics

Smooth cleaning of Smartphones, tablet PCs, netbook and navigators. Simple and safe usage with a long term antistatic effect. Dirt-repellent, does not contain alcohol Content:

1x 25ml Cleaning Spray
1x Micro fibre tissue 20x20cm, washable at 30°C

Item No	EAN13	MSRP €
C-6010	9003308360105	10,90

Cyber Clean

Cleaning Pen and Cleaning Compound

THE ORIGINAL
Cyber Clean

NEW / NEU
Cyber Clean
THE HIGH-TECH CLEANING COMPOUND
CATCHES DIRT AND KILLS GERMS!

Cyber Clean Stylus-Pro Cleaning Pen

Characteristics

Designed for cleaning Smartphones, tablet PCs and all monitors. Removes dust, dirt, spots and disinfects the surface. The non-alcoholic liquid retards new finger tips and leaves a pleasant flavor on the screen. Easy to use: spray on surface, dry with rear part of pen, ready!

- Serves as an ergonomically shaped touchpen
- Reclosable
- Practical clip to fixation on the tablet PC cover
- Refillable, comes with 3 refills for app. 200 application in total

Item	Item No	EAN13	MSRP €
Stylus Pro 3,4ml white	100071	7611212470517	19,99
Stylus Pro 3,4ml black	100072	4000461066993	19,99

Cyber Clean High-Tech Cleaning Compound

Characteristics

High-Tech dirt-repellent cleaning compound. Ideal for home and office cleaning of keyboards, mobile phones and other devices.

- Absorbs dust and dirt from surfaces and gaps
- Proven disinfecting of 99.99% of germs
- Residue free on cleaning objects and fingers
- Biodegradable
- Refreshing lemon flavor

Item	Item No	EAN13	MSRP €
Pop-Up Pot yellow, 145g	101017	7611212462000	7,99
Ziplock Bag yellow, 80g	101018	7611212461973	4,49

PATENTED FORMULA
THE ORIGINAL
Cyber Clean
THE HIGH-TECH CLEANING COMPOUND

NEW PATENTED
Cyber Clean
THE HIGHTECH CLEANING COMPOUND
SHOE-RX
www.cyberclean.tv

Cyber Clean Car Cleaning Compound

Characteristics

High-Tech dirt-repellent cleaning compound supplied in practical pop-up cup. Ideal for car and boat cleaning of steering wheels, dashboard, air vents, gear shifter and more.

- Absorbs dust and dirt from surfaces and gaps
- Proven disinfecting of 99.99% of germs
- Residue free on cleaning objects and fingers
- Biodegradable
- Refreshing mint flavor

Item	Item No	EAN13	MSRP €
Pop-Up Pot mint, 145g	101055	7611212461980	7,99
Ziplock Bag mint, 80g	101056	7611212461966	4,49

Cyber Clean Inside Shoes Cleaning Compound

Characteristics

Ideal cleaner for the interior or shoes. The patented cleaning compound ensures fast and efficient cleaning of the interior of shoes and provides optimum care. It is germkilling, deodorand and controls humidity and odors.

- Prevents foot deseases, warts, fungal nails and sweaty feet
- Absorbs dirt, dust and fluff
- Proven disinfecting of 99.99% of germs
- Residue free on cleaning objects and fingers
- Biodegradable

Item	Item No	EAN13	MSRP €
Pop-Up Pot orange, 145g	101065	7611212462345	7,99
Ziplock Bag orange, 80g	101066	7611212462307	4,49

Photo Accessories

Camera Straps and Carrying Belts



Camera Straps and Carrying Belts

No.	Item	Length app.	Width	Material	Description	Item No	EAN13	MSRP €
①	Neck Strap	40 cm	0,2 cm	Metal	Stylish way to carry your digicam.	101001	4000461031410	6,90
②	Speedy Hand Strap	27 cm	0,4 cm	Fabric/ Metal	By pushing the button, the camera can be released easily	350480	4000461048913	9,90
②+③	Speedy Strap Kit	53 cm	0,4 cm	Fabric/ Metal	Content: 1x wrist strap, 1x neck strap, 1x camera adapter	350482	4000461048937	17,90
④	Wrist Strap	22 cm	0,6 cm	Imitation Leather	Elegant wrist strap for digi cams with sturdy carabiner hook and camera loop	350476	4000461048081	5,99
⑤	Neck Strap	48 cm	0,6 cm	Imitation Leather	Elegant neck strap for digi cams with sturdy carabiner hook and camera loop	350475	4000461048074	6,99
⑥	Basic Camera Strap	max. 140 cm (variable)	4 cm	Fabric	Made of robust fabric with quick-release clip and metal loop. Color: black	350467	4000461050213	7,90
	Basic Camera Strap Kit	max. 140 cm (variable)	4 cm	Fabric	Made of robust fabric with quick-release clip and metal loop. In assorted colors	350465	4000461050190	7,90
⑦	Neoprene Strap black	max. 140 cm (variable)	4 cm	Neoprene	Camera strap made of robust Neoprene. Comes with quick-release clips and sturdy metal loop. Non-slip rubber surface on rear side.	350470	4000461027888	19,90
⑧	Comfort Camera Strap	130 cm	4-6 cm	Fabric	Robust camera strap with extra comfortable soft padding. Non-slip cover. Quick-release clip and metal loop.	350450	4000461051357	15,90
⑨	“Pump Up“ Carrying Strap	100 cm	2-5 cm	Fabric	The strap can be adjusted to the camera’s weight for optimum comfort. The incorporated pump adds air into the strap, the valve releases the air to make the strap more soft.	350444	4000461031861	29,00



Pro Line Trimmer

Characteristics

Robust cutter with ruler and angle settings, precisely positioned safety cutting head with rotational cutter, metal cutting table.
Straight cut up to 6 sheets 80g/cm.

- Cutting length: 33cm (A4) / 46cm (A3)
- Table size: 33x16,5cm (A4) / 46x16,5cm (A3)

Item	Item No	EAN13	MSRP €
Trimmer A4	102005	4000461052255	39,90
Trimmer A3	102006	4000461052262	49,90

Action Trimmer 322

Characteristics

A4 sized trimmer for photos, greeting cards and other papers. With ruler, angle settings and transparent paper support.
For up to 5 sheets 80g/cm.

- Cutting length: 32cm
- Table size: 33x15,5 cm

Item No	EAN13	MSRP €
102022	4000461028489	22,90

Personal Trimmer A4

Characteristics

A4 sized trimmer for home and office. With transparent pressure ruler with cm/inch scale. Shielded rotational cutter and non-slip rubber feet.
For up to 2 sheets 100g/cm.

- Cutting length: 30 cm
- Table size: 31x11,1 cm

Item No	EAN13	MSRP €
102054	4000461050237	11,90

Passepartout- Cutter

Characteristics

Metal cutter for precise cuts of paper, cardboard, photo carton and passepartouts. Cutting angle variably adjustable from 45° to 90°. Suitable cutting mat see at the bottom of this page.

- 2 cutting edges for cm or inch
- Max. paper thickness 7 mm
- Cutting length 60 cm

Item No	EAN13	MSRP €
102050	4000461050220	29,90

Cutting Mat 75cm



Characteristics

Cutting mat for passepartout cutter

- Synthetic material in 3 layers, 3 mm thick
- Length: 75 cm

Item No	EAN13	MSRP €
102067	4000461053627	14,90

Cutters

Susis Profi Roller Cutter made in Germany

Profi Roller Cutter

Characteristics

Extremely robust roller cutter for professional use in photo studios or offices. Cuts paper, cardboard, films and foils.
With wooden cutting plate and self-grinding knives and cutting edges. Made in Germany.

3 Types:
Roller Cutter M: Marking for A6 to A5 paper size and 9x13 to 13x18cm photo size, cutting length 36 cm, table size 47 x 16,5 cm
Roller Cutter L: Marking for A6 to A2 paper size and 9x13 to 30x40cm photo size, cutting length 67 cm, table size 77,5 x 34,5 cm
Roller Cutter XL: Marking for A6 to A1 paper size and 9x13 to 30x40cm photo size, cutting length 100 cm, table size 110 x 34,5 cm

Item	Item No	EAN13	MSRP €
Roller Cutter Profi M	102061	4011667001916	129,00
Roller Cutter Profi L	102062	4011667001978	169,00
Roller Cutter Profi XL	102063	4011667001985	299,00
Adjustable Material Stop	102065	4011667001992	29,90
Spare Blade	102066	4000461051036	34,90



ID Photo Cutter 50x50mm

Characteristics

Photo cutter of massive design for 50x50mm photos. Solid mechanics and a wide grip ensure uncomplicated use with small efforts only. Provides precise cuts.

- Photo size 50x50mm

Item No	EAN13	MSRP €
102001	4000461043031	79,00



ID Photo Cutter 35x45mm

Characteristics

Photo cutter of massive design for 50x50mm photos. Solid mechanics and a wide grip ensure uncomplicated use with small efforts only. Provides precise cuts.

- Photo size 35x45mm

Item No	EAN13	MSRP €
102000	4000461037818	79,00

DÖRR

Transparency and Slide Viewers

Transparency Viewers 100, 200, 400



Characteristics

Viewer with a color temperature of 5.000K (corresponds to daylight) for viewing slides, negatives and more. Supplied with pouch.

3 Types:
LP100: Lit area: 12,8x10 cm, only 1,4 cm flat, operated by 6xAA 1,5V batteries or AC adapter (both optional)
LP200: Lit area: 17,7x12,5 cm, only 2,1 cm flat, operated by 6xAA 1,5V batteries or AC adapter (both optional)
LP400: Lit area: 30,5x20,5 cm, only 2,3 cm flat, with clamp strap to hold viewing objects, supplied wth AC adapter 220V

Item	Item No	EAN13	MSRP €
Transparency Viewer 100	361330	4000461013096	69,00
Transparency Viewer 200	361340	4000461012105	89,00
Transparency Viewer 400	361350	4000461013119	179,00

AC Adapters AC 220V for Transparency Viewers

Suits	Item No	EAN13	MSRP €
Transparency Viewer 100/200	361342	4000461021114	18,00
Transparency Viewer 400	361353	4000461022425	29,00

AC Adapter AC 100-240V for Viewers 818/ 1218/ 1424

Item No	EAN13	MSRP €
361370	4000461023828	28,00

Note

For a more detailed viewing of pictures, slides and negatives, we offer a choice of magnifiers. Please refer to our Optics catalogue.

Transparency Viewer 1218 / 30x45 cm

Characteristics

Transparency viewer with integrated clip for inclined stand. Color temperature app. 5.000K (corresponds to daylight) for viewing of foils, slides, negatives and more. Two clamp straps to hold viewing objects.

- Lit area: 30,5 x 46 cm
- Size app.: 55 x 40,5 x 3 cm
- Weight: 4310g
- Supplied AC adapter and 13W fluorescent lamp

Item No	EAN13	MSRP €
361365	4000461016868	269,00

SV5000 Slide Viewer

Characteristics

For viewing 35mm slides with frames or 35mm film strips. Color temperature 5.000K (corresponds to daylight). Power source: 4x 1,5V AA battery or AC adapter AC 220V (both optional).

- Magnification: 3x
- Exterior measurements: 165x155x80 mm, weight: 525 g

Item	Item No	EAN13	MSRP €
Slide Viewer	361399	4000461021091	49,00
AC Adapter	540500	4000461016615	12,90

DÖRR Combo Photo-Negative-Slide Scanner

Characteristics

Create digital copies of your favorite photos, slides and negative strips at ease with one touch only! Insert your memory card to the scanner- press scan- ready! No specific software or PC required! The images are instantly available in JPEG format for further processing.

- The scanner can handle the following types of originals: photos up to 10x15 cm / 4x6”, 35mm negative and monochrome filmstrips, 35mm slides without frame
- Resolution Negatives and Slides: 1.200 dpi, photos 300 dpi
- Color depth: 24 BIT
- Accepted Memory Cards: MS, MSPro, MS Pro Duo (*), MS Duo (*), MMC, RS-MMC (*) xD, SD, Mini SD (*), Micro SD /T-Flash (*), (*)= adapter required
- Output File Format: JPEG
- Interface: Mini USB
- Includes a wide range of accessories: AC adapter, USB cable, cleaning swab, guide for film strips, anti curl photo cover, calibration card, manual
- Measurements: 158 x 68 x 41mm, weight: 224g

Item No	EAN13	MSRP €
326030	4000461060410	159,00



Slide Duplicator for Digital Cameras



Characteristics

The slide duplicator is mounted onto the filter thread of your digital camera lens. It is positioned with the holder, now select the picture frame and press the shutter, ready. The slide duplicator comes with a highly precise achromatic macro lens with 52mm mount and 10 diopters. It can be used separately, if desired.

- Mounts to 52mm, supplied with stepping rings for 37, 55, 58 and 62mm.
- Usage in combination with digital cameras. For a ratio of 1:1, a focal length of 110mm (35mm) is required
- Supplied with slide holder for 2 35mm slides with a maximum thickness of 3 mm
- Incorporated achromatic multicoated macro lens with 10 diopters which can be used independently
- Made in Japan

Item	Item No	EAN13	MSRP €
Slide Duplicator	326010	4000461040177	139,00
Negativ Carrier	326011	4000461040184	14,90

Press Comments & Awards

Foto Digital 05-06/11
Test result: **EXCELLENT** and **GOOD VALUE**
“The slide duplicator is an efficient solution to digitize old slides and prints.”

Note

DÖRR transparency viewers are an appropriate light source for the slide duplicator. Details see page 66.

DÖRR

Memory Card Readers & Storage

USB2.0 All-in-One PC 210 Memory Card Reader

Characteristics

USB 2.0 full speed reader, LED indicator for power and data access, power supply via USB/Mini USB cable. Hot-Swapping & Plug and Play, compatible with Win 7, Vista, XP, 2000/ME, Mac OS 9.2

Item No	EAN13	MSRP €
990319	4000461061967	9,99



USB 2.0 All-in-One PC 220 Memory Card Reader

Characteristics

USB 2.0 full speed reader, LED indicator for power and data access, power supply via USB/Mini USB cable. Hot-Swapping & Plug and Play, compatible with Win 7, Vista, XP, 2000/ME, Mac OS 9.2

Item No	EAN13	MSRP €
990320	4000461046773	8,99

USB 2.0 All-in-One Mini Card Reader

Characteristics

Compact card reader with 6 slots and LED for reading and writing status, supports USB 2.0 Hi-speed 480Mbits/s. Supplied with USB/USB Mini cable, Plug & Play. Compatible Win 7, Vista, XP, 2000/ME, Mac OS 9.2, Linux 2.4 or higher.

Item No	EAN13	MSRP €
990400	4000461052279	8,99

DR Superspeed USB 3.0 Card Reader

Characteristics

Superspeed USB 3.0 memory card reader with 5 slots. Can also be operated via USB 2.0. Doubles the performance of USB 2.0. Operating systems: Win 7, Vista, XP, Linux as of Kernel 1.6.20, Mac OS 10.x or higher.

Item No	EAN13	MSRP €
990327	4000461068706	29,90

DR Speed USB 2.0 Card Reader

Characteristics

Highspeed USB 2.0 memory card reader with 6 slots. The simultaneous use of various card slots is possible. Power source: USB/Mini-USB cable. Operating Systems: Win 7, Vista, XP, Linux as of Kernel 1.6.20, Mac OS 10.x or higher.

Item No	EAN13	MSRP €
990326	4000461068690	16,90

Storage Box for SD Memory Card

Characteristics

Transparent hard plastic case with compartment for 1 SD memory card.

Item No	EAN13	MSRP €
901022	4000461068768	2,99

Supported Memory Card Formats

x = with Adapter

Item	CF	MD	MS	MS Pro	M2	MS Duo	MS Duo Pro	SD	Mini SD	Micro SD	SDHC	SDXC	MMC	RS-MMC	SM	xD
USB 2.0 All in One PC210	•	•	•	•		•	x	•	•	•	•		•	•	•	•
USB 2.0 All in One PC220	•	•	•	•		•	x	•	•	•	•		•		•	•
USB 2.0 All in One Mini	•		•		•		•	•		•						•
DR Superspeed USB 3.0	•	•		•	•	•		•		•	•	•	•	•		•
DR Speed USB 2.0	•	•	•	•	•	•		•		•	•	•	•	•		•

LEXAR Professional USB 3.0 UDMA Reader

Characteristics

Compact yet powerful UDMA dual slot card reader. Compatible with UDMA CF, classical CF, SDHC and SD cards.

Item No	EAN13	MSRP €
990205	650590165254	39,99

LEXAR USB 3.0 Multi Card Reader 25-in-1

Characteristics

Versatile reader with USB 3.0 data transfer, easy to operate. Comes in a cutting-edge Pop-Up design. Reads the most current 25 memory card types and allows simultaneous data transfers and downloads between the inserted cards.

Item No	EAN13	MSRP €
990206	650590173754	27,99

Peli Memory Card Hard Case

Characteristics

Insert liner absorbs shocks and protects the memory cards, water resistant sealing IPx4.
Interior measurements: 12,2x5,7x1.4cm
Model 0945: Stores up to 6xCF cards
Model 0915: Stores up to 12xSD, 6xMiniSD,6xMicroSD

Model	Item No	EAN13	MSRP €
0915 black	480560	42021250000	35,00
0945 black	480561	42021250000	35,00

Torches / Laser Pointer



Zoom LED Torch

Characteristics

Zoom torch with ultra bright 3“ LED and focusable light cone. Ideal for leisure and home activities.

- LED lifetime app. 100.000 hours
- Brightness 120 Lumen
- Distance range app. 150 m
- Robust aluminum housing
- Wrist strap
- Supplied with 3x AAA batteries

Item	Item No	EAN13	MSRP €
Torch	980380	4000461068676	12,90
Torch Holder for Bicycles	980385	4000461068683	2,99



X24 Plus Torch

Characteristics

Fitted with a hook and a magnet the X24+ torches are ideal for outdoor activities. The 24 front LEDs ensure bright light. 3 Micro AAA batteries are included. Available in 3 colors: yellow, blue and red.

- 24 LEDs 13000mcd/app. 200 Lux
- 4 LEDs 13000mcd/app. 80 Lux
- Torch with magnet and hook
- LED lifetime app. 100.000 hours
- Supplied with 3x AAA batteries

Item No	EAN13	MSRP €
980375	4000461060571	5,50



Torpedo Torch

Characteristics

Torpedo is a compact and lightweight torch and fits in every pocket. It provides bright LED light and comes with 3x AAA batteries. Three colors at choice: blue, black and red.

- 9 LEDs 13000 mcd / app. 180 Lux
- Aluminum torch
- LED lifetime app. 100.000 hours
- Supplied with 3x AAA batteries

Item No	EAN13	MSRP €
980370	4000461060533	3,20



Laser Pointer with Key Ring

Characteristics

Laser pointer on key ring with carabiner hook. For meetings, presentations and slide show control.

- Max. Output: 1mW
- Wave Length: 630-650 mW
- Range: 50m
- Supplied with 2x 1,5V LR44 test batteries

Item No	EAN13	MSRP €
990895	4000461018497	13,90

DÖRR
Power Bank 2000

Power Bank 2000 mAh white

Characteristics

Mobile power that fits into your pocket: Power Bank is a universal Lithium Polymer (Li-Po) battery with USB output and capacity indicator LED. Great to have “extra power“ when needed for electronic devices as mobile phones, PDAs, navigators, MP-3 players, cameras and more.

- Input: Mini USB, DC 5V, 500mA
- Output: USB 5V, 800mA
- Performance: 2.000mAh, 10Wh – (enough for charging your iPhone once)
- Measurements: 8,5 x 5,5 x 1,5 cm
- Weight: 64 g
- Content: Power Bank, USB cable, USB AC adapter

Item No	EAN13	MSRP €
980586	4000461068553	25,00

DÖRR
Power Bank 3500

Power Bank 3500 mAh black

Characteristics

Mobile power that fits into your pocket: Power Bank is a universal Lithium Polymer (Li-Po) battery with USB output and capacity indicator LED. Great to have “extra power“ when needed for electronic devices as mobile phones, PDAs, navigators, MP-3 players, cameras and more.

- Input: Mini USB, DC 5V, 500mA
- Output Mini USB, DC 5V, 500mA
- Performance: 3.500mAh, 17,5Wh
- Measurements: 10 x 6,5 x 1,9 cm
- Weight: 104 g
- Content: Power Bank, USB cable, USB AC Adapter

Item No	EAN13	MSRP €
980587	4000461068560	35,00

USB AC Adapter

Characteristics

Charge your USB devices as e.g. MP3 player, navigator, mobile phones, digital cameras, external hard disks, portable paddles and more directly from your mains supply at home, in the office or on trips. Simply plug the adapter to the USB socket of your device and plug into mains supply. It starts loading right away!

- Input: AC110-240V, 50/60Hz 100mAh
- Output: DC 5,0V/ 800mAh
- Time and energy saving of up to 30%

Item No	EAN13	MSRP €
980358	4000461056406	15,90

Note

DÖRR offers a wide selection of replacement Li-Ion and Li-Polymer batteries for a large variety of camera types and brands. For details visit www.doerrfoto.de



LCD2 USB Universal Charger

Characteristics

Universal charger with USB output to charge iPhone, iPod, iPad and mobile phones via the supplied USB/ iPhone& iPad cable with interchangeable Micro USB adapter.

- Compatible with most 3,6-3,7V or 7,2-7,4V Lithium-Ion batteries. Not compatible with INFO Lithium batteries and SONY NP-FR1, NP-FC10 /CANON LP-E6 batteries etc.
- Well suited for rechargeable NiMH batteries: 2xAA, 2xAAA or 1x9V
- LCD indicates battery type, voltage and charging status
- Powered by AC Adapter AC 100-240V or car/boat DC 12V adapter (both included)

Item No	EAN13	MSRP €
980340	4000461065927	45,00



LCD1 Universal Charger

Characteristics

Ideal charger for batteries of Digital Cameras, Camcorders, Mobile phones, MP3 Players and much more! The LC display indicates important information: Battery type, voltage and charging status.

- Charges 3,6 – 3,7V and 7,2 - 7,4 rechargable Li-Ion batteries for digital cameras, camcorders, mobile phones and more (not compatible with INFO Lithium and the following batteries: SONY NP-FR1, NP-FC10 / CANON LP-E6 etc.
- Charges 1 or 2 NiMH AA or AAA round cells
- Input Voltage: AC 100 – 240V, 50-60Hz (with AC adapter)
- Trickle charge & Auto cut off function
- Automatic polarity detection +/-
- Supplied with: AC adapter AC100-240V, 50-60Hz and car/boat DC 12V adapter

Item No	EAN13	MSRP €
980355	4000461060526	29,90



C1.1 Universal Charger

Characteristics

Practically charges all battery packs for digital cameras, camcorders and mobile phones.

- 3,6-3,7V or 7,2-7,4V Li-Ion / LiPo battery packs
- 1-2 1,2V NiMH / NiCd AA or AAA round cells
- Content: Universal charger, AC adapter AC 100-240 V, DC 12V car plug
- Li-Ion / LiPo charging output: 4,2 to -8,4 V DC~500mA / NiMH / NiCd charging output: 2 x 1,4 V DC~500mA

Item No	EAN13	MSRP €
980352	4000461046278	29,90



C2+ Universal Charger

Characteristics

The C2+ charger features a special activator function to refresh even deeply discharged Li-Ion batteries. With USB power supply output.

- Charges 3,6-3,7V or 7,2-7,4V Li-Ion / LiPo battery packs for digital camera, camcorders, mobile phones, PDAs, MP3 players and navigators
- 1-2 1,2V NiMH / NiCd AA or AAA round cells
- Content: universal charger, AC 100-240 V AC adapter, DC12V car/boat adapter, various mobile phone adapters for Nokia, Sony, Ericsson, Motorola, Samsung

Item No	EAN13	MSRP €
980351	4040064765367	49,90

C201A Power Base Plug-in Charger

Characteristics

Timer controlled battery charger with trickle mode.

- Supplied with 4 AA NimH batteries 2.600mAh
- Charges 2 or 4 4 NiMH/NiCd batteries AA or AAA or up to 2 9V batteries at a time
- Charging time e.g. for AA 2.100 mAh batteries: 11 h
- Charging current 220 mAh for AA batteries

Item No	EAN13	MSRP €
980599	4000461031236	19,90

Power Base NiMH Batteries

Characteristics

Reliable energy source for many devices.
Available as 4xNiMH 1.000mAh AAA batteries or 4xNiMH 2.700mAh AA batteries

Item	Item No	EAN13	MSRP €
4xNiMH 1000mAh AAA	980597	4000461026669	9,90
4xNiMH 2700mAh AA	980598	4000461035951	16,80

Power Base C203 Plug-In Charger

Characteristics

Compact non-stop charger supplied with 4 AA NiMH 2.100mAh batteries.
Red LED indicates charging process. Reverse polarity protection.

- Charges 2 or 4 rechargeable NiMH AA batteries
- Charging time for 2.100 mAh AA batteries: 13 to 14 h
- Charging current 160 mAh

Item No	EAN13	MSRP €
980582	4000461026119	12,90

Power Base C512 Quick Charger

Characteristics

Compact charger with red/green function LED and pulse charge to avoid memory effect. Auto power off prevents overcharging.

- Supplied with 4x Instant AA NiMH batteries – can be charged up to 1.000x without memory effect
- Charges 2 or 4 NiMH/NiCd batteries AAA or AA type
- Charging time e.g for AA 2.100 mAh 4,5 h
- Charging current 450 mAh

Item No	EAN13	MSRP €
980590	4000461022975	33,60

NiMH Batteries / Double Side Charger

instant
AAA Ni-MH Akkus
AAA Ni-MH Rechargeable
DÖRR
instant
AA Ni-MH
Wiederaufladbare Akkus
Rechargeable Batteries
www.doerrfoto.de

Instant NiMH Batteries

Characteristics

Instant batteries feature an extremely low discharge in comparison to other rechargeable battery packs. Instant batteries are supplied pre-charged and in many cases they are ready for use on purchase.

- Available as 4x 800mAh AAA batteries or 4x2.350mAh AA batteries

Item	Item No	EAN13	MSRP €
4x 800mAh AAA	980611	4000461038198	12,99
4x 2350mAh AA	980635	4000461050510	19,90

Double Side Charger

Characteristics

Double side charger for Li-Ion & Li-Polymer batteries 3,6 - 7,4V for digital cameras and camcorders. Main features: auto power off, temperature control and reverse polarity protection.

- Input: AC 110 - 240V/ 50-60Hz
- Output: 450mA (4,25V or 8,55V max. charging current)
- Auto power off to present over-charging
- Micro processor controlled

For Batterys	Item No	EAN13	MSRP €
Canon	977059	4000461038099	29,90
Casio / Fuji / Kodak	977061	4000461038082	29,90
Minolta	977058	4000461044465	29,90
Nikon	977062	4000461038112	29,90
Olympus / Fuji	977078	4000461038136	29,90
Panasonic	977063	4000461038129	29,90
Pentax / Ricoh / Sanyo	977087	4000461044472	29,90
Samsung / Pentax	977086	4000461038143	29,90
Sony	977014	4000461038105	29,90

Note

For up-to-date compatibility information for the Double Side Charger visit www. doerrfoto.de

Compatibility Chart Double Side Charger

Camery Type	Side A	Side B
Sony	NP-BG1, BK1, BD1, NP-FP30, 50, 70, 90, NP-FE1, FT1, FR1, FD1, BN1, NP-FA50, 70, FH30,50,70,100, FV30, 50, 70, 100	NP-FM50, 55H, 70, 71, 90, 91, NP-FS10, 11, 21, 22, 31, 32, NP-F330, 530, 550, 570, 730, 750, 760, 770, 950, 960, 970, NP-FC10, 11, NP-FM500, NP-FW50, NP-FF50, 51, 70, 71
Minolta	NP-400, NP-700, NP1, NP-500, 600, NP-900, NP-200	
Canon	BP-208, 214, 308, 310, 315, NB-4L, NB-5L, NB-6L, NB-7L, NB-8L, 9L, LP-E5, LP-E10, BP-808, 809, 819, 827	BP-608, 617, NP-911, 915, 930, 945, 970, NB-2L, 2LH, NB-2L12, 2L14, NB-1L, NB-3L, BP-511, 512, 522, 535, LP-E6, E8
Casio / Fuji / Kodak	**KODAK**: KLIC7001, 7002, 7003, 7004, 7005 **FUJI**: NP-30, NP-110 **CASIO**: CNP20, 40, 60, 70, 90, 120	**Kodak**: KLIC7000, 7006, 3000, 5000, 5001, 8000 **FUJI**: NP40, 45, 50, 60, 95, 120, NP80,100,140 **CASIO**: CNP30, 50, 80, 100, 82
Nikon	EN-EL12, EN-EL14, EL15, EL19	EN-EL8, EN-EL2, EN-EL3, EL3E, EN-EL1, EN-EL5, EL7, EL9, EN-EL10, 11
Panasonic	BCF10, BCG10, BLD10E, BLC12, CGA-S603, S602E, BL14 VBG130, 260, CGR-D54S, VBD070, CGA-DU07, 14, 21, D110, D07S, D120, D08S, D220, D16S, D320, D28S, CGA-S001, VW-VBD19, VW-VBG6, DMW-BCH7, VW-VBK180, 360, BMB9	S101E, BC7, F7, S003, VBA05, S301, VBA10, S302, S005, BCC12, S007, BCD10, S008E, BCE10, VW-VBJ10, CGA-S002, BM7, S006, PBMA7
Olympus / Fuji	**Olympus**: BLS1, BLS5, BLM5, BLM1, D-Li90, LI10B, 12B, LI30B, LI40B/42B (Pentax D-LI63), (Nikon ENEL10), Li50b, 70B, LI60B, LI80B **FUJI**: NP45, NP140	**FUJI**: NP-40, 50 (Pentax D-LI68), 60, 95, 120, NP-80, 100, NP-30, 70, NP-150, GE GB20, DB90
Samsung / Pentax	SLB-1137C, SLB-0637, SLB-1437, SB-P120, 240, SLB-0837, 1037, 1137, SLB-BP85, SB-P90A, 180A, 190	SLB-1137D, SLB-0937, SLB-1237, LH73,0837B, SB-LH82, LSM80, 160, SB-L160, 320,110, 220, SLB-10A, SB-L11A
Pentax / Ricoh / Sanyo	**Sanyo**: DB-L10, 40, 90 **Pentax**: D-LI50, D-LI63, D-LI78, D-LI92, LI88, LI90, LI95, LI108, LI109 **Ricoh**: DB-50, 80,100, DS-6365	**Sanyo**: DB-L20, 30, 50 **Pentax**: D-LI1, D-LI7, D-LI8, LI106, D-LI68, 72, LI2, LI85, LI95 **Ricoh**: DB-20, 30, 34, 43, 40, 60, 70, 90



World Travel Adapter Pro

Characteristics

For travellers from Europe (Schuko & 2-pole Euro) to more than 150 countries. For devices from Australia, China, USA, UK, Switzerland and Italy.

- Input voltage: 100-240 VAC~
- Power rating: max. 240V-2400W, 110V-1100W
- Suitable for equipment with grounded & ungrounded plugs (2- & 3-pole)
- Integrated fuse T10A

Item No	EAN13	MSRP €
980360	7640112215652	29,90



World USB Charger

Characteristics

Full power simultaneous dual charging in over 150 countries. For devices from Australia, China, USA, Japan, UK and Europe.

- Input current: 100-240V~
- Output current: 5 VDC /1300mA

Item No	EAN13	MSRP €
980361	7640112215607	24,90



SingleTravel Adapter Schuko - Europe

Characteristics

For travellers from over 150 countries to Europe (Schuko), also available in the version. Country Adapter Europe (IDK) for travellers from Denmark, India, Israel to Europe (Schuko).

- Smallest and most compact adapter for Europe
- Maximum Safety
- Input voltage: 100-240 VAC~
- Power rating: max. 16A / 250V~
- Suitable for 2-pole/ 3-pole (grounded) plugs (classes I and II)

Item No	EAN13	MSRP €
980362	7640112215546	9,90



SingleTravel Adapter Denmark, Israel, India

Characteristics

For travellers from over 150 countries to Europe (Schuko), also available in the version: Country Adapter Europe (IDK) for travellers from Denmark, India and Israel to Europe (Schuko).

- Smallest and most compact adapter for Europe
- Maximum Safety
- Input voltage: 100-240 VAC~
- Power rating: max. 16A / 250V~
- Suitable for 2-pole/ 3-pole (grounded) plugs (classes I and II)

Item No	EAN13	MSRP €
980363	7640112215300	9,90



World Travel Adapter, black

Characteristics

One adapter – four options. For more than 150 countries! The elegant, compact and safe way to connect your portable appliances worldwide. Protected by a replaceable fuse. Suitable for equipment with ungrounding plugs (2 pole).

- Suitable for equipment with ungrounded plugs
- Maximum Power: 110V- max. 275W; 220V- max. 550W
- Input voltage: 100 – 240 VAC
- The adapter does not convert voltage!
- Integrated fuse T2.5A

Item No	EAN13	MSRP €
980364	7640112215133	19,90



World Travel Adapter with USB Charger, black

Characteristics

Charge or run all your USB devices directly from the main power supply! The USB charger module fits on top of the World Travel Adapter. Perfect for charging or running your mobile phone, iPod, MP3 player, PDA, travel speaker and other USB devices all around the world.

- Input power spectrum up to 550 W power
- For equipment with ungrounding plugs (2 pole)
- Max. Power: 110V- max. 275W; 220V- max. 550W
- Integrated fuse T2.5A

Item No	EAN13	MSRP €
980365	7640112210992	24,90







Midget USB Car Charger, white

Characteristics

The "Midget" is a mini-format 12V USB charger suitable for cars, trucks, RV's and boats. Great for charging mobile phones, mp3 players, GPS/ navigation devices and digital cameras.

- Input voltage: 12 volt
- Output voltage: 5.0 +/- 0.25V
- Output current: 1000 mA
- Dimensions: 43 x 21 x 22 mm (L x W x H)

Item No	EAN13	MSRP €
980366	7640112215232	14,90

Euro USB Charger

Characteristics

Full power simultaneous dual charging. The Euro USB Charger ensures full batteries on all USB devices. The dual USB port in connection with the exceptional performance capability of 1300 mA enables two USB devices to be charged simultaneously.

- Suitable in all countries with Euro plug standard
- Input range: 100 – 250V
- USB Output: 5V / 1300mA

Item No	EAN13	MSRP €
980367	7640112215805	19,90

World Travel Adapter Pro USB

Characteristics

The most innovative World Adapter Pro USB offers a two-in-one solution:Travellers from Europe can connect their 2- and 3-pole devices. In addition the detachable and inter-operable dual USB top provides a powerful USB charger connection.

- USB Output: 5V / 1300mA
- Retractable plugs: Italy/Swiss, Australia/China, UK, USA
- Input voltage: 100-240 VAC
- Power rating: max. 240V-2400W, 110V-1100W

Item No	EAN13	MSRP €
980368	7640112215782	43,90

Note

The adapters and chargers are no voltage converters. Therefore the voltage required by your devices in use must be in accordance with the voltage provided where you are.

SKROSS
ADAPT TO THE WORLD

SKROSS
ADAPT TO THE WORLD

**LAPTOP, SMARTPHONE & MUCH MORE ITEM ARE TAKEN ON TRIPS.
CONNECT YOUR ELECTRONIC DEVICES ACROSS THE WORLD
NO MATTER IF PARIS, BEJING OR NEW YORK.**

DÖRR

ACCESSORY CATALOGUE

DÖRR

BAGS
CATALOGUE



DÖRR

LIGHT
CATALOGUE

DÖRR

OPTIC
CATALOGUE

DÖRR

ALBUMS / FRAMES
CATALOGUE

We´ve got ideas!

since 1973 40